



REVISIONS						
SYM	ZONE	DESCRIPTION	DATE	E	M	N




LEFT SIDE VIEW

FRONT VIEW



RIGHT SIDE VIEW



REAR VIEW

TECHNICAL DATA

POWER INPUT - 50 WATTS (NOTE 3)  
 VOLTAGE - 115 VAC  
 PHASE - 1Ø  
 FREQUENCY - 60 CPS  
 HEAT DISSIPATION - 50 WATTS - 170 BTU/HR  
 AMBIENT TEMP RANGE - 20 TO 45°  
 RELATIVE HUMIDITY - 20 TO 90%  
 WEIGHT - 22 lbs.

CRATED DATA

WEIGHT	DIMENSION	CU. FT.
65 lbs	25 7/8 x 20 3/8 x 14 5/8	4'-4"

- NOTES: 1. PLUG PART OF CA-1196-1  
 2. THIS REQUIRES TABLE FOR MOUNTING BUT HAS CABLE FLEXIBILITY FOR RETRACTING (12) INCHES. FOR RACK MOUNTING SEE SHEET 5 FOR DETAILS.  
 3. OBTAINS ITS OPERATING POWER THROUGH CA-1196-1 FROM ASSOCIATED RTPD-1.

⊕ = CENTER OF GRAVITY

CONTRACT No. N600(63133-11-126)63002	<b>EXAMINED</b>		NAVAL SHORE ELECTRONICS ENGINEERING CENTER WASHINGTON, D C	
TECHNICAL MATERIEL CORP	OFFICIAL	SIGNATURE	REMOTE TUNING CONTROL GROUP PERFORATOR-READER, TT-477/FRR-72	
DWG No. ID-327-4	BR HEAD			
<i>N. V. Hay</i> 3/2/66	PROJ ENG			
APPROVED DATE	DIV DIR			
SATISFACTORY TO:	PROJ DIR			
	DRAFT SEC			
	DRAWN		RW 23	CODE IDENT 82679
	FEDERAL SUPPLY CODE 82679		SIZE C	564
DATE:	CONTR DRAWING NO. ID-327-4	SCALE NONE	SHEET 4 OF 6	