

C
JJ-208

SPECIFICATIONS

SERIES : QDL
 NO. OF CONTACT : ONE(1)
 TYPE OF CONTACT : ROUND, FEMALE
 DIELECTRIC : TEFLON
 ELECTRICAL DATA
 MAX. PEAK OPR. V. : 10 KV
 NOMINAL IMPEDANCE : 50Ω

CABLE ACCOMODATIONS




FOR CABLES { RG-17/U, RG-18/U, RG-218/U
 RG-219/U
 W/PM-386, RG-35/U, RG-164/U

MATERIAL

EXTERNAL PARTS: BRASS
 CONTACTS : BERYLLIUM COPPER
 INSULATION : LOW LOSS PLASTIC DIELECTRIC (TEFLON)

FINISH

EXTERNAL PARTS : SILVER PLATED W/RHODIUM FLASH.
 CONTACT : SILVER PLATED W/GOLD FLASH.



NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown herein without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:

THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
C	MOUNTING FLANGE RELOCATED	10-8-62	7305	SE	XDE	[Signature]
B	1.344 Dim. Was 2; 1 9/32 Dia. Hole Added	1-18-62	6232	RE	MAF	[Signature]
A	2" Dim Relocated	6-20-61	5108	MAF	QCS	[Signature]

UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN INCHES
 TOLERANCES ON FRACTIONS ± 1/64 DECIMALS ± .05 ANGLES ± 1/2°
 SCALE: S-40-70(2191)
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.
 REMOVE ALL BURRS AND SHARP EDGES

REQ. PER UNIT	MODEL	SECTION	ASS'Y. NO.	DATE
	QDL SERIES			5-1-61

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	STOCK SIZE	CONNECTOR, RECEPTACLE(QDL SERIES)	
	MATERIAL		
	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN CHECKER FINAL APPROVAL
	FINISH & SPEC. NO.	ELEC. DES. APP. MECH. DES. APP.	JJ-208 C