


TMC PART No.	IMPEDANCE
JJ 355-50	50 - OHMS
JJ 355-70	70 - OHMS

REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
	ORIGINAL RELEASE	1-10-77		GDL	

JJ 355



**SPECIFICATIONS:**  
 Series - UHF  
 No. of Contacts - One (1)  
 Type of Contact - Female  
 Dielectric - Teflon

**ELECTRICAL DATA:**  
 Max. Peak Opr. Volt - 5 KV  
 Freq. Limit - 10,000 MCS  
 Nominal Impedance - 50Ω or 70Ω

**CABLE ACCOMMODATIONS:**  
 Type - 7/8 EIA

**MATING ACCOMMODATIONS**  
 Type -

**MATERIAL:**  
 External Parts - Brass  
 Contact - Beryllium Copper

**FINISH:**  
 External Parts - Silver Plate & Rhodium Flash  
 Contact - Silver Plate & Gold Flash

**PANEL:**  
 Max. Thickness - 3/16

**SUPPLIED BY MFR.**

O-RING-GA-158-1	- 1 REQ
SCREW, MACHINE-SCHH2520NR16	- 3 REQ
LOCKWASHER, SPLIT-LWS25HRN	- 6 REQ
NUT, HEX-NTH2520NR14	- 3 REQ
CONNECTOR, INNER PD-287-XX	- 1 REQ

50Ω or 70Ω AS REQ

**NOTES**

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
MATERIAL		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
FINISH		TITLE ADAPTER, CONNECTOR EIA FLANGE TO UHF 50 OHM OR 70 OHM		
G'TY./UNIT		MODEL USED ON	ASS'Y. NO.	
SCALE		CODE		
DECIMALS		TOLERANCES		FRACTIONS
.X ± .05				± 1/64
.XX ± .01				ANGLES
.XXX ± .005				± 0° 30'
DRAWN	DATE	FINAL APPROVAL		DATE
CHECKED	DATE			
ELECT. DES.	DATE			
MECH. DES.	DATE			
SHEET			JJ355	REV. LTR.