

REQ. PER UNIT	USED ON			LP100	Q
	MODEL	ASS'Y. NO.	DATE		
	SBT-1KAA		10/17/66		
	SBT-1KX				

56	16	WA101-11	WASH., NM
1	15	UG274*/U	ADPT, CONN-BNC-T
1	14	UG260*/U	CONN, PL-BNC
1	13	TM105-16AR	TERM. BD-FNG
1	12	TM105-16AL	TERM. BD-FNG
1	11	TEST DATA	TEST DATA
4	10	SC142C	BOLT, EYE
56	9	SCBP1032BN8	SCR, MACH
1	8	PL190NG	CONN, PL, FML, AC
1	7	PL150	CONN, PL, QDS
1	6	PL132-3	CONN, PL, ML
1	5	PL100	CONN, PL, FML, AC
2	4	IN	INSTR MAN.
1	3	CA502	CBL ASSY, SP
1	2	CA109	CBL ASSY, SP
1	1	CA108	CBL ASSY, RF

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL	
			THE TECHNICAL MATERIEL CORP.					
			MAMARONECK, NEW YORK					
			STOCK SIZE					
			LOOSE ITEM PACKAGE					
			MATERIAL					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	ENG. COORD		J. SABATINO	<i>J. Sabatino</i>		
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
			FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	LP100	Q

REQ. PER UNIT	USED ON			LP101 Q
	MODEL	ASS'Y. NO.	DATE	
	DDR-5B2, 5B3		10/17/66	

1	18	WR100-19	KEY, SOC HD SCR
1	17	WR100-18	KEY, SOC HD SCR
1	16	WR100-5	KEY, SOC HD SCR
1	15	WR100-2	KEY, SOC HD SCR
1	14	UG260*/U	CONN, PLUG-BNC
1	13	TP119-1	ALIGN. TOOL, ELEC
1	12	TP118-2	EXTRACT., EL TUBE
1	11	TP118-1	EXTRACT., EL TUBE
1	10	TP117-3	WRENCH, SOC-5/16
1	9	TP117-2	WRENCH, SOC-1/4
1	8	TP117-1	WRENCH, SOC-3/16
1	7	TP116-1	SCRDRIVER, FLAT
1	6	TP115	ALIGN. TOOL, ELEC
1	5	TP114	ALIGN. TOOL, ELEC
1	4	SA105	ADPT, CONN-RF
2	3	PL177	CONN, PL, ML, AC
1	2	PL149	CONN, PL, RF, QDS
20	1	CU142-2-0	STRAP, CBL, ADJ

								REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
								THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK				
								STOCK SIZE				
								MATERIAL				
								LOOSE ITEM PACKAGE				
Ø	ORIGINAL RELEASE FOR PRODUCTION	10/19/66	Ø	CV								
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE						ENG. COORD	J. SABATINO	<i>J. Sabatino</i>		
								TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
										LP101 Q		
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		CODE				FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	

REQ. PER UNIT	USED ON			LP 102	Q
	MODEL	ASS'Y. NO.	DATE		
	SBG-1LB		10/17/66		
	SBG-1C				

1	8	TM105-2AR	TERM. BD-FNG	CMO
1	7	TM105-9AL	TERM. BD-FNG	CBE
48	6	WA101-11	WASH., NM	UNITS
3	5	UG88*/U	CONN, PL-BNC	CHG
48	4	SCBP1032BN8	SCR, MACH	UNITS
4	3	SC142C	BOLT, EYE	RAK
1	2	PL134NG	CONN, PL, FML, AC	RAK
1	1	PL100	CONN, PL, FML, AC	RAK

								REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
										THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK LOOSE ITEM PACKAGE			
									STOCK SIZE				
									MATERIAL				
Ø	ORIGINAL RELEASE FOR PRODUCTION	10/18/66	Ø	CV						ENG. COORD	J. SABATINO	<i>J. Sabatino</i>	
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.				DRAWN	CHECKED	FINAL APPROVAL	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE											
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE										
										FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	
												LP 102 Q	

REQ. PER UNIT	USED ON			LP103 Q
	MODEL	ASSY. NO.	DATE	
	SBT-1KJ		10/17/66	

40	14	WA101-11	WASH.,NM	
1	13	UG274*/U	ADPT,CONN-BNC-T	VOX-5
1	12	UG212*/U	ADPT,CONN-HN	RFD-1
1	11	UG59*/U	CONN,PL-HN	RFD-1
1	10	TM105-16AR	TERM.BD-FNG	APP-4
1	9	TM105-16AL	TERM.BD-FNG	APP-4
1	8	TEST DATA	TEST DATA	
4	7	SC142C	BOLT,EYE	
40	6	SCBP1032BN8	SCR,MACH	
1	5	PL132-3	CONN,PL,ML	SBE
2	4	IN	INSTR MAN	
1	3	CA502	CBL ASSY,SP	VOX
1	2	CA109	CBL ASSY,SP	VOX
1	1	CA108	CBL ASSY,RF	VOX

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
THE TECHNICAL MATERIEL CORP.							
MAMARONECK. NEW YORK							
STOCK SIZE							
LOOSE ITEM PACKAGE							
MATERIAL							
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			SCALE		ENG.COORD	J.SABATINO	
TYPE & TEMPER			HEAT TREAT. SPEC.		DRAWN	CHECKED	
FINISH & SPEC. NO.			ELEC. DES. APP.		MECH. DES. APP.		
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005			FRACTIONS ± 1/64 ANGLES ± 0° 30'		TOLERANCES		
CODE			FINAL APPROVAL				
			LP103 Q				

REQ. PER UNIT	USED ON			LP104	Q
	MODEL	ASS'Y. NO.	DATE		
	SBT-1KS5		10/17/66		

56	24	WA101-11	WASH., NM	
1	23	UG274*/U	ADPT, CONN-BNC-T	VOX
1	22	UG260*/U	CONN, PL-BNC	AX198
1	21	TP119-1	ALIGN. TOOL, ELEC	ATS
1	20	TM105-16AR	TERM. BD-FNG	APP-4
1	19	TM105-16AL	TERM. BD-FNG	APP-4
11	18	TE120-2	TERM., LUG-SPADE	ATS
1	17	TEST DATA	TEST DATA	
4	16	SC142C	BOLT, EYE	RAK
56	15	SCBP1032BN8	SCR, MACH	
1	14	PL190NG	CONN, PL, FML, AC	RAK
1	13	PL150	CONN, PL, QDS	AX198
1	12	PL132-3	CONN, PL, ML	SBE
1	11	PL100	CONN, PL, FML, AC	RAK
1	10	MS3106A20-27P	CLP, CBL, EL CONN	ATS
1	9	MS3057-12A	CLP, CBL, EL CONN	ATS
2	8	IN	INSTR MAN	
1	7	GL114	SILICONE COMP	ATS
1	6	CA729-XX	CBL ASSY, PWR	ATS
1	5	CA541-XX	CBL ASSY, SP, 12/C	ATS
1	4	CA502	CBL ASSY, SP	VOX
1	3	CA484	LEAD, ELEC, ANT.	ATS
1	2	CA109	CBL ASSY, SP	VOX
1	1	CA108	CBL ASSY, RF	VOX

								REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
										THE TECHNICAL MATERIEL CORP.		
										MAMARONECK. NEW YORK		
										STOCK SIZE		
										LOOSE ITEM PACKAGE		
										MATERIAL		
Ø	ORIGINAL RELEASE FOR PRODUCTION	10/18/66	φ	CV						ENG. COORD	J. SABATINO	
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.				DRAWN	CHECKED	FINAL APPROVAL
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES						SCALE						
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		TOLERANCES		CODE		FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.		
										LP104 Q		

REQ. PER UNIT	USED ON			LP105	Q
	MODEL	ASS'Y. NO.	DATE		
	TER-18K-600BF		10/17/66		

6	10	WA103-2	WASH., SQUARE
4	9	SCHH5013BN24	BOLT, MACH
2	8	SC111-6	BOLT, LAG
6	7	SC111-5	BOLT, LAG
2	6	PM444	ROD, SPT
8	5	INTH5013BN24	NUT, PLN, HEX
2	4	MS1068	BRKT, MTG, TOP
2	3	IN	INSTR MAN.
1	2	ID179	INSTL DIAG
10	1	FW50HBN	WASH., FLAT

								REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
										THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
									STOCK SIZE			
Ø	ORIGINAL RELEASE FOR PRODUCTION	10/18/66	Ø	CV						LOOSE ITEM PACKAGE		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.			MATERIAL			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE							ENG. COORD	J. SABATINO	<i>J. Sabatino</i>	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		CODE				TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
TOLERANCES												LP105
								FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	Q	

REQ. PER UNIT	USED ON			LP106	Q
	MODEL	ASS'Y. NO.	DATE		
	RTIH-1		10/17/66		

1 6 TP139 BRUSH, CLEANING
 1 5 TP128 TOOL, DESOLDER
 1 4 S971 TP128 INSTR
 1 3 CA555-3 CBL ASSY, PWR, AC
 1 2 A4448 TEST CARD-PS
 2 1 A4412 TEST CARD-

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
			THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK				
			STOCK SIZE				
Ø			ORIGINAL RELEASE FOR PRODUCTION				
			10/19/66	Ø	CV		
			MATERIAL				
					ENG. COORD	J. SABATINO	
					DRAWN	CHECKED	FINAL APPROVAL
							LP106 Q
			FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	

UNLESS OTHERWISE SPECIFIED
 DIMENSIONS ARE IN INCHES AND INCLUDE
 CHEMICALLY APPLIED OR PLATED FINISHES


DECIMALS .X ± .05
 .XX ± .01
 .XXX ± .005

FRACTIONS ± 1/64
 ANGLES ± 0° 30'

TOLERANCES

REQ. PER UNIT	USED ON			LP109	Q
	MODEL	ASS'Y. NO.	DATE		
	DDR-6N		10/18/66		

5	13	CA130-2	CBL ASSY,SP,AF	For LPP
5	12	CA409-32-2.00	LEAD,ELEC	For LPP
4	11	FW37HBN	WASH.,FLAT	AP133/4
2	10	IN	INSTR MAN.	
4	9	LWS37MRN	WASH.,LK,SPLIT	AP133/4
4	8	NTH3716BN20	NUT,PLN,HEX	AP133/4
1	7	PL190NG	CONN,PL,AC	RAK AC
2	6	PL218	CONN,PL,AC	DCP-2
4	5	SC142C	EYEBOLT	RAK
64	4	SCBP1032BN8	SCR,MACH	UNITS
4	3	SCHH3716BN8	BOLT,MACH	AP133/4
2	2	UG88*/U	CONN,PL-BNC	GPR ANT.
64	1	WA101-11	WASH.,NM	UNITS

								REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL		
											THE TECHNICAL MATERIEL CORP.			
											MAMARONECK. NEW YORK			
											STOCK SIZE			
											LOOSE ITEMS PACKAGE			
											MATERIAL			
Ø	ORIGINAL RELEASE FOR PRODUCTION	10/18/66	Ø	CV							ENG.COORD	J.SABATINO		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.					DRAWN	CHECKED	FINAL APPROVAL	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES						SCALE								
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		TOLERANCES		CODE		TYPE & TEMPER		HEAT TREAT. SPEC.		FINISH & SPEC. NO.		
											ELEC. DES. APP.		MECH. DES. APP.	
											LP109		Q	

REQ. PER UNIT	USED ON			LP110	Ø
	MODEL	ASS'Y. NO.	DATE		
	RAK-9G1		10/18/66		

48	8	WA101-11	WASH., KEY	
1	7	UG274/U	ADPT, CONN-BNC, T	CP615
1	6	UG260/U	CONN, PLUG-BNC	P624
48	5	SCBP1032BN8	SCR, MACH	
4	4	SC142C	EYEBOLT	
1	3	PL190NG	CONN, PL, FML, AC	P620
1	2	PL150	CONN, PL, RF, QDS	P606
1	1	PL100	CONN, PL, FML, AC	P627

								REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
										THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK LOOSE ITEM PACKAGE		
									STOCK SIZE			
Ø	ORIGINAL RELEASE FOR PRODUCTION	10/18/66	Ø	CV					MATERIAL			
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.				ENG. COORD	J. SABATINO	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE						TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE									LP110
								FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.		Ø

REQ. PER UNIT	USED ON			LP III	Q
	MODEL	ASS'Y. NO.	DATE		
	CFA-2		10/18/66		

1 3 PJ055B PLUG, TEL
1 2 CA1068-1 CBL ASSY, PWR
1 1 TM105-12AR TERM. BD-FNG

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
			STOCK SIZE				
			LOOSE ITEM PACKAGE				
			MATERIAL				
					ENG. COORD	J. SABATINO	<i>[Signature]</i>
			TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	
			FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	LP III Q

Ø	ORIGINAL RELEASE FOR PRODUCTION	10/18/66	φ	CV		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE				
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE			

REQ. PER UNIT	USED ON			LP113	Ø
	MODEL	ASS'Y. NO.	DATE		
	LFSB-1		10/18/66		

2	11	IN6004	INST MAN.
5	10	UG88*/U	CONN, PL, RF, BNC
1	9	TP127	ALIGN. TOOL
1	8	TP126	ALIGN. TOOL
1	7	TP119	ALIGN. TOOL
1	6	TM105-2AR	TERM. ,BD-FNG
2	5	MS3057-6	CLP, CBL, EL CON
2	4	MS3420-6A	BUSH. ,RUB.
2	3	MS3420-4A	BUSH. ,RUB.
1	2	MS3106A14S2S	CONN, PL, FML
1	1	MS3106A14S1S	CONN, PL, FML

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL							
			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK								
STOCK SIZE			LOOSE ITEM PACKAGE								
Ø		ORIGINAL RELEASE FOR PRODUCTION	10/18/66	Ø CV							
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL	ENG. COORD	J. SABATINO	FINAL APPROVAL	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE									
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE							LP113 Ø	
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.								


REQ. PER UNIT	USED ON			LP114	Q
	MODEL	ASS'Y. NO.	DATE		
	SBT-350V3		10/18/66		

2	12	UG646*/U	ADPT,CONN	RFA
1	11	PL149	CONN,PL,QDS	SWR-1K
40	10	WA101-11	WASH.,NM	UNITS
40	9	SCBP1032BN8	SCR,MACH	UNITS
4	8	SC142C	EYEBOLT	RAK
1	7	PL134NG	CONN,PL,ML,AC	RAK
1	6	PL100	CONN,PL,ML,AC	RAK
1	5	PL132-3	PLUG,TEL	SBE
1	4	UG88*/U	CONN,PL-BNC	RFA
1	3	PL259A-TEF	CONN,PL-UHF	RFA
1	2	TM105-16AR	TERM.BD-FNG	APP-5
1	1	TM105-16AL	TERM.BD-FNG	APP-5

								REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL	
											THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK LOOSE ITEM PACKAGE		
										STOCK SIZE			
										MATERIAL			
Ø	ORIGINAL RELEASE FOR PRODUCTION	10/18/66	Ø	CV							ENG.COORD J.SABATINO		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.					DRAWN	CHECKED	FINAL APPROVAL
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE											
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE										LP114 Q
										FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	

REQ. PER UNIT	USED ON			LP116 Q
	MODEL	ASS'Y. NO.	DATE	
	SBE-8,9,10		10/18/66	

4	5	UG260*/U	CONN, PL-BNC
1	4	TM105-14AL	TERM. BD-FNG
1	3	PL132-3	CONN, PL, ML
1	2	CA435-5	CBL ASSY, PWR
1	1	CA346-3-0	CBL ASSY, SP

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
			STOCK SIZE				
			LOOSE ITEM PACKAGE				
			MATERIAL				
					ENG. COORD	J. SABATINO	
			TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	
			FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	LP116 Q

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE

Ø	ORIGINAL RELEASE FOR PRODUCTION	10/18/66	Ø	CV		
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.

REQ. PER UNIT	USED ON			LP117	Ø
	MODEL	ASS'Y. NO.	DATE		
	RAK-7C		10/18/66		

28	9	WA101-11	WASH., NM	
20	8	WA101-5	WASH., NM	
28	7	SCBP1032BN8	SCR, MACH	
20	6	SCBP0832BN8	SCR, MACH	
2	5	PL218	CONN, PL, ML	P115, P116
1	4	PL134NG	CONN, PL, FML	P114
1	3	CA480-7-120	CBL ASSY, RF	W107
1	2	CA480-4-18	CBL ASSY, RF	W105
1	1	CA130-6	CBL ASSY, SP, AF	W108

REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
			THE TECHNICAL MATERIEL CORP.			
			MAMARONECK. NEW YORK			
			STOCK SIZE			
			LOOSE ITEM PACKAGE			
			MATERIAL			
Ø			ORIGINAL RELEASE FOR PRODUCTION	10/18/66	Ø	CV
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE				
DECIMALS	TOLERANCES	FRACTIONS	CODE			
.X ± .05		± 1/64				
.XX ± .01		ANGLES				
.XXX ± .005		± 0° 30'				
				TYPE & TEMPER	HEAT TREAT. SPEC.	ENG. COORD
						J. SABATINO
						DRAWN
						CHECKED
						FINAL APPROVAL
						LP117
						Ø
				FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.

REQ. PER UNIT	USED ON			LP118	Q
	MODEL	ASS'Y. NO.	DATE		
	STR-2B		10/18/66		

2	10	SCBP0440BN12	SCR,MACH	MS3446 MTG
1	9	MS3446	PL,XTAL RETG	
2	8	NP559	PL,FREQ	
1	7	PJ055B	PLUG,TEL	
1	6	TM105-12AL	TERM.BD-FNG	
1	5	WR100-4	KEY,SOC HD SCR	
1	4	WR100-3	KEY,SOC HD SCR	
2	3	UG88*/U	CONN,PLUG-BNC	
1	2	CA555-4	CBL ASY,PWR,AC	
1	1	AX436	SERV EXT MODL	

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
			THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK				
			STOCK SIZE				
			LOOSE ITEM PACKAGE				
			MATERIAL				
φ			ORIGINAL RELEASE FOR PRODUCTION	10/18/66	φ	CV	
SYM	DESCRIPTION		DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			SCALE				
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		CODE			
TOLERANCES							
						ENG.COORD J. SABATINO	
						DRAWN CHECKED FINAL APPROVAL	
						LP118 Q	
						ELEC. DES. APP. MECH. DES. APP.	


REQ. PER UNIT	USED ON			LP 119	Ø
	MODEL	ASS'Y. NO.	DATE		
	SBT-350MA		10/18/66		

2	12	UG646*/U	ADPT,CONN	RFA
1	11	PL149	CONN,PL,QDS	SWR-1K
24	10	WA101-11	WASH.,NM	UNITS
24	9	SCBP1032BN8	SCR,MACH	UNITS
4	8	SC142C	EYEBOLT	RAK
1	7	PL134NG	CONN,PL,ML,AC	RAK
1	6	PL100	CONN,PL,ML,AC	RAK
1	5	PL132-3	PLUG,TEL	SBE
1	4	UG88*/U	CONN,PL-BNC	RFA
1	3	PL259A-TEF	CONN,PL-UHF	RFA
1	2	TM105-16AR	TERM.BD-FNG	APP-5
1	1	TM105-16AL	TERM.BD-FNG	APP-5

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
THE TECHNICAL MATERIEL CORP.							
MAMARONECK. NEW YORK							
STOCK SIZE							
LOOSE ITEM PACKAGE							
MATERIAL							
Ø			ORIGINAL RELEASE FOR PRODUCTION	10/18/66	Ø	CV	
SYM	DESCRIPTION		DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			SCALE				
DECIMALS		FRACTIONS		CODE			
.X ± .05		± 1/64					
.XX ± .01		ANGLES					
.XXX ± .005		± 0° 30'					
TOLERANCES							
		FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.		
				ENG. COORD		J. SABATINO	
				DRAWN	CHECKED	FINAL APPROVAL	
				LP 119			
				Ø			

REQ. PER UNIT	USED ON			LP120	Q
	MODEL	ASS'Y. NO.	DATE		
	PSP-350C		10/18/66		

2	4	IN	INSTR MANUAL
1	3	TM105-6AL	TERM. BD-FNG
1	2	CA10136-110	CBL ASSY,PWR
1	1	CA555-3	CBL ASSY,PWR

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
			THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK				
			STOCK SIZE				
			LOOSE ITEM PACKAGE				
			MATERIAL				
			TYPE & TEMPER		HEAT TREAT. SPEC.	ENG. COORD	J. SABATINO
						DRAWN	CHECKED
						FINAL APPROVAL	
							
						LP120 Q	
			FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	

ORIGINAL RELEASE FOR PRODUCTION

10/18/66

Q CV

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES AND INCLUDE
CHEMICALLY APPLIED OR PLATED FINISHES

SCALE

DECIMALS .X ± .05
.XX ± .01
.XXX ± .005

FRACTIONS ± 1/64
ANGLES ± 0° 30'

TOLERANCES

CODE

REQ. PER UNIT	USED ON			LP122	⊕
	MODEL	ASS'Y. NO.	DATE		
	AR181-2	DDR-7M	10/18/66		

1 2 TM105-9AR TERM. BD-FNG
1 1 TM105-9AL TERM. BD-FNG

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
			THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK				
			STOCK SIZE				
			LOOSE ITEM PACKAGE				
			MATERIAL				
					ENG. COORD. J. SABATINO	<i>[Signature]</i>	
			TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN CHECKED		
			FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
	ORIGINAL RELEASE FOR PRODUCTION	10/18/66	⊕	CV		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		SCALE	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE

LP122 ⊕