

## APPLICATION

QTY	MODEL USED ON	ASSY NO.
2	BCT-10KA	

## REVISIONS

LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
X	EXPERIMENTAL RELEASE	8-2-67		C.V.		W
Ø	ORIG RELEASE FOR PROD	8/2/67		C.V.		SM
A	ADD. MR198-2	8-18-71	20432	RF		EA

TMC P/N	MFGR. SERIES	REGISTRATION	VOLTAGE	FREQUENCY
MR198-1	635 Y	9999.9 HRS.	220 VAC	60 Hz
MR198-2	635 Y	9999.9 HRS.	220 VAC	50 Hz

## NOTES:

- COUNTER WHEELS TO BE BLACK BACKGROUND WITH WHITE FIGURES.
- DECIMAL WHEEL (S) TO BE WHITE BACKGROUND WITH BLACK FIGURES.
- HOUSING: BLACK GENERAL PURPOSE PHENOLIC
- BEZEL: BLACK, HIGH-IMPACT STYRENE
- WEIGHT: 12 OZ. APPROX.
- AMBIENT TEMP.: -20°C TO +55°C

VENDOR MUST SUPPLY INFORMATION WITH THIS ITEM

INFORMATION TO CONTAIN SUFFICIENT DATA TO IDENTIFY ITS PART AND ESTABLISH ITS ELECTRICAL AND MECHANICAL CHARACTERISTICS AS DESCRIBED IN HIS PUBLISHED CATALOGS FOR QUALITY ASSURANCE

DIMENSION TOLERANCES WILL BE AS DESCRIBED IN MANUFACTURES LITERATURE.

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
F. BUDETTI				
LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP.				
MAMARONECK, NEW YORK				
INDICATOR, ELAPSED TIME				
S401-46				
SCALE W/L QA				
SIZE A				
CODE IDENT. NO. 82679				
DWG NO. MR 198				
ISSUE A				

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
AND INCLUDE CHEMICALLY APPLIED  
OR PLATED FINISHES

DECIMALS  
.X ± .05  
.XX ± .01  
.XXX ± .005

FRACTIONS  
1/64  
ANGLES  
0° - 30'

MATERIAL

FINISH

S401-46

FINAL APPROVAL

DATE

8-4-67

MECH. DES.

DATE

ELECT. DES.

DATE

CHECKED

DATE

DRAWN

DATE

8/2/67

## NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.