


REQ. PER UNIT	USED ON			MS-1028	A
	MODEL	ASS'Y. NO.	DATE		
1	FX-151		3-4-57		



"A" = No. 36 Drill (.1065) 2 Req.
 "B" = $\frac{5}{32}$ (.1562) 7 Req.

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL				
	.064	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	MOUNTING BRACKET				
	STOCK SIZE						
	ALUMINUM						
A 1	5404 IRIDITE WAS S101 CAUSTIC DIP	12-B 59	1001 P	EMN			
ISSUE ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	
TOLERANCES		SCALE:					
DEC. DIM. \pm		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.					
FRAC. DIM. \pm		REMOVE ALL BURRS AND SHARP EDGES					
ANGULAR DIM. \pm							
		5052-H32		SC. 3-4-57	JAW	OK	
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
		S404 IRIDITE				MS-1028	A
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.			