


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.						DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.							
ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
Ø		REL TO PROD	DEC 18/68		AP		W
A		PERFORATED AREA CHANGE WITH 84 SLOTS	DEC 18/68	2000	GDL	CL	CA
B		6 HOLES WERE 21804	DEC 5/79	2163	GDL		F.B.



TOLERANCES UNLESS OTHERWISE SPECIFIED		SCALE: 1/1
ALL	DEC. DIM ± .015	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED
OTHERS	FRAC. DIM ± .005	
	ANGULAR DIM ± 0° 30'	

AMC 850275A	AX 10073	6 DEC 68
LMC 850275A		
MODEL	PROJECT NO.	DATE
	ASSY. NO.	
USED ON		

.051 THK STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO	
AL ALLOY		COVER	
MATERIAL	WEIGHT PER PC		
575 H34			
TYPE & TEMPER		SIMPSON	W
		DRAWN	ELEC. DES. APP. MECH. DES. APP.
		CHECKED	FINAL APPROVAL
HEAT TREAT SPEC.			
IRIDITE 5404			
FINISH & SPEC. NO.		MS10939 B	