


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
1	1	NT10002-2	NUT, CLINCH	C

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
C		REV. PER CEMN.	25 JUN 71	1020	UAT.		
D		REV. PER CEMN.	JULY 71/71	1032	UAT.		
E		REV. PER CEMN.	JULY 12/71	1037	UAT.		
F		REV. PER CEMN.	AUG 20/71	1051	UAT.		
G		REV. PER CEMN.	12 NOV 71	1088	DR		



HOLE	DESCRIPTION	QTY.
A	.093 DIA	1
B	.140 DIA	7
C	.213/.216 DIA	1
D	.234 DIA	1
E	.171 DIA	1
F	OBTROUND .140 x .281	3

REF LD10365

MS11105 G

TOLERANCES		SCALE:
ALL	DEC. DIM. ± .XX	1/1
OTHERS	FRAC. DIM. ± 1/64	
	ANGULAR DIM. ± 0° 30'	

LPA-1KD	PROJECT NO.	25 JUNE 71
MODEL	ASS'Y. NO.	DATE

.064 SHEET		TMC (Canada) LIMITED	
STOCK SIZE		OTTAWA ONTARIO	
AL ALY	WEIGHT PER PC.	BRACKET	
575 H32		SERVO COMPONENTS	
TYPE & TEMPER		THOMAS	
		DRAWN	ELEC. DES. APP.
		CHECKED	MECH. DES. APP.
HEAT TREAT. SPEC.		FINAL APPROVAL	
IRIDITE S404		MS11105 G	
FINISH & SPEC. NO.			