


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED					
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.							
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
Q		PRODUCTION RELEASE	MAR 16-71		G.C.T.		[Signature]

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
------	------	----------	-------------	--------



3-HOLES (MARKED A) .140 x .281 OROUND  
TO BE PUNCHED AS SHOWN.

MS11270 Q

TOLERANCES		SCALE: FULL SIZE
ALL OTHERS	DEC. DIM. ± .015 FRAC. DIM. ± 1/64 ANGULAR DIM. ± 0°30'	.X+.08 .XX+.01 .XXX+.008 DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

INT. BEND RAD. .062 MAX.

MTR 100A	087-70	16-12-70
MODEL	PROJECT NO.	DATE

.064	TMC (Canada) LIMITED OTTAWA ONTARIO	
AL ALLOY	CAPACITOR SHIELD	
57S H34	G.C. THOMPSON	
IRIDITE 5404	MECH. DES. APP.	
	CHECKED	FINAL APPROVAL
		MS11270 Q