



ISSUE	ITEM	CHANGED FROM	DATE	CM. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		PROD RELEASE	10 Jun 71		NAT							

TAP NO. 8-32 NC-2B  
BOTH ENDS




MTR100A		29 MAY 71		3/8 ROD		TMC (Canada) LIMITED	
MODEL	PROJECT NO.	ABS. Y. NO.	DATE	STOCK SIZE		OTTAWA	ONTARIO
USED ON				AL ALY	TRANSFORMER		
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		MATERIAL	WEIGHT PER PC.		RETAINING PILLAR
				575 H34		N. THOMAS	
TOLERANCES		SCALE 1:1		TYPE & TEMPER		DRAWN	MECH. DES. APP.
DEC. DIM. ± .X = .05		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		HEAT TREAT. SPEC.		ELEC. DES. APP.	
FRAC. DIM. ± 1/64 .XX = .01		DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		IRIDITE 5404		CHECKED	
ANGULAR DIM. ± 0° 30' .XXX = .005				FINISH & SPEC. NO.		FINAL APPROVAL	
ALL OTHERS						MS11331 Ø	

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		PROD RELEASE	10 JUN 71		NAT		<i>[Signature]</i>					



MTR 100A		29 MAY 71		.093 SHEET		TMC (Canada) LIMITED	
MODEL	PROJECT NO.	ASS'Y. NO.	DATE	STOCK SIZE		OTTAWA	ONTARIO
USED ON				AL ALY	TRANSFORMER		
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				MATERIAL		RETAINING COVER	
				575 H32		U. THOMAS	
IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				WEIGHT PER PC.		DRAWN	
TOLERANCES				TYPE & TEMPER		ELEC. DES. APP.	
SCALE 1:1				HEAT TREAT. SPEC.		MECH. DES. APP.	
DEC. DIM. ± .X = .05				IRIDITE S404		CHECKED	
FRAC. DIM. ± 1/64 .XX = .01				FINISH & SPEC. NO.		FINAL APPROVAL	
ANGULAR DIM. ± 0° 30' .XXX = .005						MS11332 Ø	

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG. RELEASE	20/9/71		PAL	<i>[Signature]</i>						




**NOTE:**

METAL STAMP TMC PART No.  
 1/8 HIGH, GOTHIC. IN APPROX. LOCATION SHOWN.

MMX( ) 3	110/71	A11004-5	20/9/71	.064 TH'K.		TMC (Canada) LIMITED	
MODEL	PROJECT NO.	ASS'Y. NO.	DATE	STOCK SIZE		OTTAWA	ONTARIO
USED ON				ALUM. ALLOY	STIFFENER, P.C. BOARD.		
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		MATERIAL	WEIGHT PER PC		
				5052 - H34			
TOLERANCES		SCALE		TYPE & TEMPER		P. LINDRAY	
DEC. DIM. ± .05				HEAT TREAT. SPEC.		DRAWN	
FRAC. DIM. ± 1/64				IRIDITE, S404		ELEC. DES. APP.	
ANGULAR DIM. ± 0° 30'				FINISH & SPEC. NO.		MECH. DES. APP.	
ALL OTHERS	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED				CHECKED		FINAL APPROVAL
DRILL PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.						MS 11349	
						X	



ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
	ENG RELEASE	2/9/71		NAT							



MODEL		PROJECT NO.		ASS'Y. NO.		DATE		.064 THK		TMC (Canada) LIMITED					
								STOCK SIZE		OTTAWA ONTARIO					
USED ON								AL ALY		BLANKING PLATE					
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				MATERIAL		WEIGHT PER PC.		ANTENNA SLAVE			
								57S H32				THOMAS			
TOLERANCES				SCALE				HEAT TREAT. SPEC.		DRAWN		ELEC. DES. APP.		MECH. DES. APP.	
ALL OTHERS		DEC. DIM. ± .X = .05		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		IRIDITE S404		CHECKED		FINAL APPROVAL					
		FRAC. DIM. ± 1/64 .XX = .01		DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.								MS11360		X	
		ANGULAR DIM. ± 0° 30' .XXX = .005													

L PA - 1K

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG. RELEASE	1/10/71		DR	LB						




2 METAL STAMP TMC PART NO 1/8 HIGH  
 GOTHIC IN APPROX POSITION SHOWN  
 1. 4 HOLES, .140 DIA REQ'D  
 NOTE:

**CANCELLED**  
 16 DEC, 1971 NAT.

MM X (M) 3	130/71	A 11007											
MM X (A) 3	130/71	A 11007	SEPT 30/71										
MODEL	PROJECT NO.	ASS'Y. NO.	DATE	.064		TMC (Canada) LIMITED OTTAWA ONTARIO							
USED ON				AL ALY.		BRACKET, MOUNTING							
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		MATERIAL		RECTIFIER BOARD					
						575 H32		D. REID					
TOLERANCES				SCALE 1/1		WEIGHT PER PC		TYPE & TEMPER		DRAWN		ELEC. DES. APP.	MECH. DES. APP.
DEC. DIM. $\pm .015$ .X = -.08				DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		HEAT TREAT. SPEC.		L. BROWN		CHECKED		FINAL APPROVAL	
FRAC. DIM. $\pm \frac{1}{64}$ .XX = -.01													
ANGULAR DIM. $\pm 0^{\circ} 30'$ .XXX = -.005				DRILL PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		IRIDITE S404		FINISH & SPEC. NO.				MS 11366	X

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG. RELEASE	OCT 4 71		DR	<i>[Signature]</i>						




1. 2 HOLES .171 DIA REQ'D  
NOTE

LPA IKD		OCT 4 / 71		TMC (Canada) LIMITED OTTAWA ONTARIO	
MODEL	PROJECT NO.	ASS'Y. NO.	DATE		
USED ON				COPPER	LEAD CONNECTOR
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		MATERIAL	WEIGHT PER PC
				TYPE & TEMPER	
TOLERANCES		SCALE 2/1		DRAWN	ELEC. DES. APP.
ALL OTHERS	DEC. DIM. ±	.X = .05	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	HEAT TREAT. SPEC.	
	FRAC. DIM. ± 1/64	.XX = .01			
	ANGULAR DIM. ± 0° 30'	.XXX = .005	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.	FINISH & SPEC. NO.	
				CHECKED	FINAL APPROVAL
				MS 11368 X	

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG. RELEASE	NOV. 25/71		PL	<i>[Signature]</i>		1	1	BX10021	COVER	

SECT. A-A



TCXO	068167	NF10002	25 Nov. 71			<b>TMC (Canada) LIMITED</b> OTTAWA ONTARIO	
MODEL	PROJECT NO.	ASS'Y. NO.	DATE	STOCK SIZE			
USED ON						COVER, MODIFIED	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		MATERIAL		WEIGHT PER PC.	
TOLERANCES		SCALE 1:1		TYPE & TEMPER		P. LINDSAY	
DEC. DIM. $\pm$ .X = .05 FRAC. DIM. $\pm \frac{1}{64}$ .XX = .01 ANGULAR DIM. $\pm 0^{\circ} 30'$ .XXX = .005		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED DRILL: PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		HEAT TREAT. SPEC.		DRAWN A. PROCTOR CHECKED	
ALL OTHERS				FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP. FINAL APPROVAL MS 11385 X	