


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
0		PROD. RELEASE	18 July 73		C.C.	Hcl	

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
4	1	NT129-632-4	NUT, ROUND SWAGE	⊕



2. ITEM 1 AND .191/.194 INSTALLATION HOLES TO BE USED ON BOTTOM COVER ONLY. TOP COVER IS TO BE WITHOUT 4 .191/.194 INSTALLATION HOLES, AND WITHOUT SWAGE NUTS
1. METAL STAMP TMC PART NO. 1/8 HIGH GOTHIC IN APPROXIMATE POSITION SHOWN, OPPOSITE SIDE

.406 TYP .656 TYP 5.875 REF .171 DIA., 4 HOLES .191/.194 DIA., 4 HOLES - SEE NOTE 2

NOTES:

TOLERANCES		SCALE: 1:1
ALL	DEC. DIM. ± .05	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.
OTHERS	FRAC. DIM. ± 1/64 .XX*.01	
	ANGULAR DIM. ± 0° 30' .XXX*.005	

MODEL	PROJECT NO.	ASSY. NO.	DATE
ON-AIR IND. MOD	145/73	AX10099	19 JULY 1973

.064 THK.		TMC (Canada) LIMITED	
STOCK SIZE		OTTAWA ONTARIO	
AL ALY		COVER,	
MATERIAL	WEIGHT PER PC.	TOP & BOTTOM	
575-H32		C. CHARLES	H. G. SCHAFER
TYPE & TEMPER		DRAWN	ELEC. DES. APP.
			MECH. DES. APP.
HEAT TREAT. SPEC.		CHECKED	FINAL APPROVAL
IRIDITE S404			MS11538/9 ⊕
FINISH & SPEC. NO.			

MS11538/9 ⊕