



REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	SBE-2	A-1517	3-17-58
1	SBE-3	AP-100	11-30-59

MS-1211

A

A -  $\frac{11}{64}$  (.171) Diam. 4 Req.B -  $\frac{7}{16}$  (.437) Diam. 1 Req.

Note - Surface "X" will be parallel with Surface "Y" within .005.



							REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
							.081 Thk.		THE TECHNICAL MATERIEL CORP.			
							STOCK SIZE		MAMARONECK, NEW YORK			
							Aluminum		BRACKET, GEAR MTG.			
							MATERIAL		(REF: GR-132)			
A	1	5404-IRIDITE WAS SIDI-CAUSTIC DIP	12-8 59	1001	P	EMN	5052-H32	16 3/17/58	JAD	AM		
ISSUE ITEM		CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	DRAWN	CHECKED	FINAL APPROVAL		
TOLERANCES			SCALE: FULL				TYPE & TEMPER		HEAT TREAT. SPEC.		ELEC. DES. APP. MECH. DES. APP.	
DEC. DIM. $\pm .001$			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.				S404-IRIDITE				MS-1211	
FRAC. DIM. $\pm 1/64$			REMOVE ALL BURRS AND SHARP EDGES				FINISH & SPEC. NO.				A	
ANGULAR DIM. $\pm 1^\circ$												