


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:  
THE TECHNICAL MATERIEL CORPORATION  
MAMARONECK, NEW YORK



Notes:  
Perforation Borders Approx. 7/8"  
Perforation: .072 DIA HOLES ON  
1/8 CENTERS STAGGERED.

MS-1221 C

NOTE: HARDWARE TO BE SUPPLIED AND ASSEMBLED BY TMC.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE FINISH UNLESS SPECIFIED OTHERWISE	
FRAC. DIM.	TOLERANCES
1/16	±.004
1/32	±.003
3/16	±.002
1/4	±.0015
5/16	±.001
3/8	±.0005
1/2	±.0005
5/8	±.0005
3/4	±.0005
7/8	±.0005
1	±.0005

C	1	HARDWARE NOTE ADDED	12/15/58	1470	EMN	JCF	
B	1	DWG UPDATED & CLARIFIED	11/16/58	10353	EMN	JCF	
A	1	3404 - IRIDITE WAS 5101 - CAUSTIC DIP	12/59	1001	EMN	EMN	
ISSUE	ITEM	CHANGED FROM	DATE	DN. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES		SCALE: FULL					
ALL OTHERS	DEC. DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK					
	FRAC. DIM. ±.004	SIZES AND MANUFACTURERS					
	ANGULAR DIM. ±1°	TOLERANCES ARE NOT INCLUDED.					

1	RSP-350A			
1	RSP-350	PAL-350		4-23-58
REQ. PER UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE
USED ON				

4	2	FS109-3	RING, RETAINING	
4	1	FS110-1	STUD, TURNLOCK	
REQ. ITEM	PART NO.	DESCRIPTION		SYMBOL
.051 THK.		THE TECHNICAL MATERIEL CORP.		
STOCK SIZE		MAMARONECK, NEW YORK		
Aluminum		COVER, TOP		
MATERIAL		WEIGHT PER PC		
5052-H32		16 1/2 x 5 1/2		
TYPE & TEMPER		DRAWN		
HEAT TREAT. SPEC.		ELC. DES. APP.		
S9-04-YEL-IRIDITE		MECH. DES. APP.		
FINISH & SPEC. NO.		CHECKED		
		FINAL APPROVAL		
		MS-1221 C		