



IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES



A - 7/32 (.218) D. G Req.



MS-1228 A

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
A	1	5404 - IRIDITE WAS 5101 - CAUSTIC DIP	129 59	1701	P		EMN
TOLERANCES		SCALE: FULL					
ALL OTHERS	DEC. DIM. ± 1/64 FRAC. DIM. ± 1/64 ANGULAR DIM. ±	DRILL PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.					

PROPERTY OF THE TECHNICAL MATERIEL CORPORATION  
MAMARONECK, NEW YORK

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND UNLESS OTHERWISE APPLIED OR PLATED FINISHES

TOLERANCES	FRACTIONS
± 0.00	± 1/64
± 0.01	± 1/32
± 0.005	± 0.005

1	PSP-350	PAL-350	4-28-58
REQ PER UNIT	MODEL	PROJECT NO.	DATE
		ASS'Y. NO.	
	USED ON		

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
.081 THK		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
STOCK SIZE			
Aluminum	N	SUPPORT, MAIN CHASSIS	
MATERIAL	WEIGHT PER PC.		
6052-H32			
TYPE & TEMPER			
N			
HEAT TREAT. SPEC.			
5404-1/2L-IRIDITE			
FINISH & SPEC. NO.			
		642858	
		DRAWN	MECH. DES. APP.
		CHECKED	FINAL APPROVAL
			MS-1228 A