

IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

NOTICE TO PERSONS RECEIVING THIS DRAWING







THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown herein without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

- A - $\frac{1}{8}$ (.125) DIA. 44 REQ.
- B - $\frac{15}{16}$ (.937) DIA. 10 REQ.
- C - $\frac{3}{4}$ (.750) DIA. 6 REQ.

FINISH:
 S-101-CAUSTIC DIP
 S-114-ZINC CHROMATE PRIMER
 S-115-SMOOTH GRAY ENAMEL

- NOTES:
1. LATERAL RUN OF PANEL MUST BE KEPT TO .031 TOL.
 2. HOLES MUST BE DRILLED
 3. MILL ALL EDGES
 4. ALL THREADED HOLES $\frac{1}{4}$ HOLE DIA. MUST BE HELD AFTER ETCHING.



C	1	CLERICAL CHANGE	1.4.65	-	AB		
B	1	S-404 YEL TRIDITE WAS	1/16	1001	AB		EMN
A	1	S-101 CAUSTIC DIP	3/16	148	AB		EMN
		DRUNCH (2) 3/8 WAS 1"	3/16	148	AB		EMN
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES		SCALE:					
ALL OTHERS	DEC. DIM. \pm	DRILL PUNCH, COMMERCIAL STOCK					
	FRAC. DIM. \pm	SIZES AND MANUFACTURERS					
	ANGULAR DIM. \pm	TOLERANCES ARE NOT INCLUDED					

1	SWR-10K-RM		12/10/64
1	SWR-3000-RM		5/20/58
REQ PER UNIT	MODEL	PROJECT NO.	DATE
		ASS'Y. NO.	
		USED ON	

REF. TMC # LD-402	
REQ. ITEM	PART NO.
1	.064 THICK
STOCK SIZE	
ALUMINUM N	
MATERIAL WEIGHT PER PC	
5052 H 32	
TYPE & TEMPER	
H	
HEAT TREAT. SPEC.	
H	
DRAWN	
ELEC. DES. APP.	
MECH. DES. APP.	
CHECKED	
FINAL APPROVAL	
5-404 YEL TRIDITE	
FINISH & SPEC. NO.	
M5-1267 C	

M5-1267 C