



MS-1356 C

HOLES
A - $\frac{5}{16}$ (312) DIA. - 6 REQ.



SLOTS 11 PER ROW
ON 1/2 CENTERS 55 REQ'D

REF: MS-1355-(1)

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
D		SLOTS AREA WAS PERFORATED	9-30-58	21305	GDL	CK	CL
C	2	FS-110-5 ADDED	1-31-61	4041	M.G.F.	JCS	OMM
	1	FS-109-4 ADDED	12/29/54	629	HLE	EGM	WJ
B	1	MAT. WAS 1/16 STEEL	12/29/54	629	HLE	EGM	WJ
A	1	5/16 WAS 1/4 DIA	12/29/54	617	HLE	WJ	WJ

TOLERANCES		SCALE: <i>1/4"</i>
DEC. DIM. ±		
FRAC. DIM. ± 1/64		
ANGULAR DIM. ±		
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		

1	CAB-7			10-3-58
REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
USED ON				

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
6	2	FS-110-5	STUD, SLOTTED HEAD
6	1	FS-109-4	RING, STUD RETAINING
064		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
ALUMINUM		COVER, TOP FILTER	
5052-H32		10-9-58 <i>ave</i>	<i>ARB</i>
S-396		CHECKED <i>RFB</i>	FINAL APPROVAL <i>ARB</i>
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
			MS-1356 D