



- A- $\frac{7}{64}$  (.109) D. 6 Req.
- B-No. 12 (.189) D. 4 Req.  
For TE-108-1
- C- $1\frac{1}{2}$  (1.500) D. 1 Req.
- D- #47 (.078) D. 4 Req.

Mount TE-108-1 in "B" Holes  
4 Req.

NOTE- All Corners to be Smooth & Round with Outside Radius No Greater than  $\frac{1}{16}$  R.

FINISH-  
S-404 YELLOW IRIDITE  
5114- Zinc Chromate Primer } All Outside Surfaces  
5115- Smooth Grey Enamel } Only.

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
B	2	"B" HOLES CLARIFIED	6-12-63	9247		JAY	
A	1	S-404 WAS S-101	12/15/59	1001	AB		EMN
TOLERANCES		SCALE: FULL		1-1285			
DEC. DIM. $\pm$		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					
FRAC. DIM. $\pm$ 1/64							
ANGULAR DIM. $\pm$							

1	R5C-3		A-1590	10-13-58
REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
USED ON				

REQ. ITEM	PART NO.	DESCRIPTION		SYMBOL
.040 THK		THE TECHNICAL MATERIEL CORP.		
STOCK SIZE		MAMARONECK, NEW YORK		
Aluminum		PLATE, TUNING		
MATERIAL		DIAL		
5052-H32		16 10/13/58	10-14-58	
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
SEE Note		P.J.K.		
FINISH & SPEC. NO.	ELEC. DES. APP.		MECH. DES. APP.	
				MS-1379 B