



HOLES:
A-.344-.347 DIA. (5REQ.)

① MOUNT IN ALL
"A" HOLES AFTER
FINISHING.

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

MARK TMC PT
NO. $\frac{1}{8}$ HIGH
GOTHIC, W/LATEST
REV. LETTER.

B	IT I CLARIFIED, ADD TMC PT. #	3-16-67	17979	MS	JCS		
A	HOLES RELOCATED WERE ON Σ	9-10-59	1297	MS	JCS		
ISSUE ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	

TOLERANCES		SCALE: $\frac{1}{2}$	
DEC. DIM. \pm		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURR AND SHARP EDGES	
FRAC. DIM. \pm $\frac{1}{64}$			
AN ULAR DIM. \pm			

2	GPT-10K	AUX. FR		
REQ. PER UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE

5	1	NT-129-420-4	NUT, PLAIN, SPLINE	A
REQ. ITEM	PART NO.		DESCRIPTION	SYMBOL
	.081 THICK STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	ALUMINUM		BRACKET, RESISTOR	
	5052-H32			
	TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN	CHECKED
	5404-1	IRIDITE		
	FINI H & SPEC. N.	ELEC. DE . APP.	DES. APP.	
				MS1839 B