



| REQ. PER UNIT | USED ON  |           |         |
|---------------|----------|-----------|---------|
|               | MODEL    | ASSY. NO. | DATE    |
| 1             | AX-212   | GPT-40K   | 1/12/60 |
| 1             | GPT-200K | AX-398    |         |

MS-1941 A



A-7/32 (.218) D. 3 REQ.



| ISSUE | ITEM | CHANGED FROM | DATE | CH. NO. | DRAFTS | CHECKER | ENG. APP. | REQ. | ITEM | PART NO.           | DESCRIPTION  | SYMBOL          |         |                |
|-------|------|--------------|------|---------|--------|---------|-----------|------|------|--------------------|--|-----------------|---------|----------------|
|       |      |              |      |         |        |         |           |      |      | .081 THICK         | THE TECHNICAL MATERIEL CORP.<br>MAMARONECK, NEW YORK | A               |         |                |
|       |      |              |      |         |        |         |           |      |      | STOCK SIZE         |  |                 |         |                |
|       |      |              |      |         |        |         |           |      |      | ALUMINUM           | BRACKET, RESISTOR MTG.,<br>SINGLE (CROWBAR DRAWER).  | A               |         |                |
|       |      |              |      |         |        |         |           |      |      | MATERIAL           |  |                 |         |                |
|       |      |              |      |         |        |         |           |      |      | 5052-H32           | M.F.<br>ALD<br>QB                                    |                 |         |                |
|       |      |              |      |         |        |         |           |      |      | TYPE & TEMPER      | HEAT TREAT. SPEC.                                    | DRAWN           | CHECKED | FINAL APPROVAL |
|       |      |              |      |         |        |         |           |      |      | S404 YEL IRIDITE   |  | EM              | RLN     | MS-1941        |
|       |      |              |      |         |        |         |           |      |      | FINISH & SPEC. NO. | ELEC. DES. APP.                                      | MECH. DES. APP. |         | A              |

TOLERANCES  
 DEC. DIM.  $\pm$   
 FRAC. DIM.  $\pm 1/64$   
 ANGULAR DIM.  $\pm$

SCALE: 2:1  
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.  
 REMOVE ALL BURRS AND SHARP EDGES