



IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.



NOTE:
 CONTINUOUS WELD
 ALONG INSIDE CORNER

SAME OPPOSITE SIDE

HOLES	REQ'D.
A - (2.50 - 2.56) DIA. (FOR N7129-0-51-6)	5
B - 7/32 (.218) DIA.	16
C - 5/8 (.625) DIA.	3
D - 1/4 (.25) DIA.	6



NOTES
 1 - ALL BENDS 1/8 RADIUS.
 2 - WELD CORNERS AS SHOWN.

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

1 MOUNT IN 'A' HOLES, SM-107-56

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	1	RELOCATED 'A' HOLES	6-3-60	1983	JP		

TOLERANCES
 SCALE: 1" = 1"

ALL OTHERS: DEC. DIM. ± 1/16, FRAC. DIM. ± 1/64, ANGULAR DIM. ± 1/16

DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

REQ. UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE
1	AX-209	GPT-40K		1-19-60

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
G 1	SM-107-56	INSERT, HEX.	
1/8 THK.		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
ALUMINUM		PLATE, CAPACITOR DRIVE SHAFT	
MATERIAL WEIGHT PER FC.		GPT 40 K	
5052-H32		DRAWN: J.D. 1-19-60	
TYPE & TEMPER.		ELEC. DES. APP. [Signature] MECH. DES. APP. [Signature]	
HEAT TREAT. SPEC.		CHECKED: [Signature] FINAL APPROVAL: [Signature]	
5404 YEL. IRIDITE		MS-1983 A	
FINISH & SPEC. NO.			