


- A- AT (.018) D. 4 HOLES REQ.
- B- 1/16 (.125) D.
- C- 1/32 (.015) D.
- D- 3/8 (.375) D.
- E- 1/2 (.500) D.
- F- 1/16 (.062) D.
- G- DRILL & CSINK A-40 F.H.S.
- J- " " B-32 F.H.S.
- K- " " 10-32 F.H.S.



NOTE: FINISH
 S-101 CAUSTIC DIP
 S-114 ZINC CHROMATE PRIMER
 S-115 SMOOTH GREY ENAMEL
 OR PRIME & PAINT TO
 CUSTOMERS SPECIFICATIONS.

FRONT OF PANEL

IT IS THE BUYER'S RESPONSIBILITY TO CHANGE ANY TOLERANCE OR DIMENSIONAL SPECIFICATION ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND INDICATED BY DIMENSIONAL TOLERANCE SYMBOLS.
 REMOVE ALL BURRS AND SHARP EDGES.

ISSUE	DATE	CHANGED FROM	BY	REASON
B	5.3.55	7/16	2	CSB

SCALE:
 DRILL, PUNCH, COMMERCIAL STOCK
 SIZES AND MANUFACTURERS
 TOLERANCES ARE NOT INCLUDED.

REQ. UNIT	1	DCU	MODEL	DCU	PROJECT NO.	ABSY. NO.	DATE
USED ON							5.3.55

REG. ITEM	PART NO.	DESCRIPTION	SYMBOL
316 TAK.		THE TECHNICAL MATERIEL CORP.	
ALUMINUM		MAMARONECK, NEW YORK	
2 AS T3		FRONT PANEL	
DCU		DCU	
DRAWN		ELC. DES. APP.	
CHECKED		MECH. DES. APP.	
SEE NOTE		FINAL APPROVAL	
M9-238			