

IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.




UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

MS-268 D

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

DECIMALS	TOLERANCES	FRACTIONS
.X ± .05		± 1/64
.XX ± .01		ANGLES ± 0° 30'
.XXX ± .005		

REQ. PER UNIT	USED ON			
	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
1	CFA			3-24-55



REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
	1/2 X 1/2 X 1/8		THE TECHNICAL MATERIEL CORP.	
	STOCK SIZE		MAMARONECK. NEW YORK	
	ALUMINUM	-#-	CROSS BRACE FS CONVERTER	
	MATERIAL	WEIGHT PER PC.	CFA	
	635 T5		P.B. 3-24-55	WDC
	TYPE & TEMPER		DRAWN	ELEC. DES. APP. MECH. DES. APP.
			FADE	WDC
	HEAT TREAT. SPEC.		CHECKED	FINAL APPROVAL
	S404-IRIDITE			MS-268 D
	FINISH & SPEC. NO.			

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
D	1	3" CUTOUT ADDED	1-5-62	6171	RG	EMN	
C	1	S404-IRIDITE WAS 8101-CAUSTIC DIP	12-7-53	1001	UP	EMN	
-4	-4	REDRAWN-NO CHANGE	3-24-55	-4	P.B.	FADE	JDC

TOLERANCES	SCALE
DEC. DIM. ± FRAC. DIM. ± 1/64 ANGULAR DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.