

IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES


DECIMALS	FRACTIONS
X ± .05	± 1/64
XX ± .01	ANGLES
XXX ± .005	± 0° 30'

CUT HERE
GUARANTEED
2-166

MS-286 C

USED ON

MODEL	PROJECT NO.	ASS'Y. NO.	DATE
VOX	101	A-608	2-17-53
VOX-12	291		1-24-55



C	1	2A HOLES DELETED. 2 B HOLES ADDED DIM. REVISED	10/24/55	15046	A.V.V.	JCB	
B	1	S404 IRIDITE WAS S101 CAUSTIC DIP	12-7-59	1001	SP		EMN

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		.040	THE TECHNICAL MATERIEL CORP.	
		STOCK SIZE	MAMARONECK, NEW YORK	
		ALUMINUM	SWITCH BRACKET	
		MATERIAL	R.F. CHASSIS	
		WEIGHT PER PC.		
		52S H32		
		TYPE & TEMPER	C.D.D. 2-17-53	ATT
			DRAWN	ELEC. DES. APP.
			HEAT TREAT. SPEC.	MECH. DES. APP.
		S404 IRIDITE	AD 2-18-53	ATT
		FINISH & SPEC. NO.	CHECKED	FINAL APPROVAL
				MS-286 C

A	1	A HOLES MOVED OVERALL DIM CHANGED	1/7/54	1	16	MADHOUSE	
ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.

TOLERANCES		SCALE	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.
ALL OTHERS	DEC. DIM. ±		
	FRAC. DIM. ± 1/64		
	ANGULAR DIM. ±		