



REQ. PER UNIT	USED ON			MS-2112	A
	MODEL	ASS'Y. NO.	DATE		
1	AT-101 (40K)		3-12-60		

MOUNT IN "A"  
HOLES AS SHOWN  
AFTER FINISHING.



A -  $\frac{.221}{.224}$  D. 2 Req.

B -  $\frac{7}{16}$  (.437) D. 1 Req.



								2	1	NT129-832-6	NUT, PLAIN, SPLINE	A		
								REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL		
								1/8 THK		THE TECHNICAL MATERIEL CORP.				
								Aluminum		MAMARONECK, NEW YORK				
								MATERIAL		PLATE, CAPACITOR SHAFT ADJ.				
A		ADD IT. 1 TO B/M	3-2-67	17879	HGA	Q/S	2/10	5052-H32		16 3/4/60	Jule	QB		
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL		
TOLERANCES			SCALE: FULL					5404 Iridite					MS-2112	A
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.			
FRAC. DIM. ± 1/64								ANGULAR DIM. ±						