



REQ. PER. UNIT	USED ON			MS-2368	B
	MODEL	ASS'Y. NO.	DATE		
1	GPT-10K(2MC)	A-1947	8-18-60		

6 HOLES EQUALLY SPACED
60° APART ON A
 $1\frac{29}{32}$ RADII.



A \sim 7/32 DIA. 6 REQ.
B \sim DR. & C'SK FOR
 $\frac{1}{4}$ -20 FHS 1 REQ.
(SEE DETAIL)



"B" DETAIL
1 REQ.

REMOVE SHARP
EDGES

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
		1/8 THK	THE TECHNICAL MATERIEL CORP.				
		STOCK SIZE	MAMARONECK, NEW YORK				
		ALUMINUM	PLATE, VARIABLE				
		MATERIAL	CAPACITOR FLANGE				
B	1	FINISH & SPEC. WAS GOLD PLATE .000025	12-7-62	7831	<i>[Signature]</i>	<i>[Signature]</i>	
A	2	.520 DIA. WAS .337 DIA.	1-22-62	6229	<i>[Signature]</i>	<i>[Signature]</i>	
A	1	.270 DIA. WAS 1/4 DIA.					
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES			SCALE: FULL				
DEC. DIM. \pm			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				
FRAC. DIM. \pm 1/64							
ANGULAR DIM. \pm .5°							
		5052 H32			<i>[Signature]</i>	<i>[Signature]</i>	
		TYPE & TEMPER	HEAT TREAT. SPEC.		DRAWN	CHECKED	FINAL APPROVAL
		S-245 SILVER PLATE					
		S-423 CLEAR IRIDITE					
		FINISH & SPEC. NO.	ELEC. DES. APP		MECH. DES. APP		
							MS-2368
							B