



NOTE:  
USE MATERIAL THICKNESS  
FOR MAX. RADIUS ON ALL BENDS  
UNLESS OTHERWISE SPECIFIED.

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
B	1	① 1/2 NOTCH WAS 1/8	11-4-60	3379	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>
A	1	2 "A" HOLES ADDED LIPS WERE 7/16	10/11/60	3154	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>

TOLERANCES: DEC. DIM. ±, FRAC. DIM. ± 1/64, ANGULAR DIM. ±

SCALE: FULL

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

1	CHG-1	MF/RF		9-13-60
REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
USED ON				

8	1	NT-129-632-4	NUT ROUND SWAGE TYPE
REQ. ITEM	PART NO.	DESCRIPTION	
	.064	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	STOCK SIZE	CENTER SHIELD, RF	
	ALUMINUM	MATERIAL	
	5052-H32	<i>[Signature]</i>	<i>[Signature]</i>
	S-404 YELLOW IRIDITE	<i>[Signature]</i>	<i>[Signature]</i>
	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.
		MS-2391 B	