


- HOLES
- |   |                      |         |
|---|----------------------|---------|
| A | ~ 19/100 Dia.        | REQ. 16 |
| B | ~ 1/8 Dia.           | 2       |
| C | ~ 5/8 Dia. (2 Req.)  | 5       |
| D | ~ 9/64 Dia. (2 Req.) | 4       |
| E | ~ 5/32 Dia. (2 Req.) | 4       |
| F | ~ 1/8 DIA.           | 15 Req. |
| G | ~ 5/16 DIA.          | 2       |
| H | ~ 1/4 DIA.           | 4       |
| J | ~ 1/4 DIA.           | 2       |
| K | ~ C/SINK 6-32        | 4       |
| L | ~ 5/32 DIA.          | 6       |
| M | ~ 5/8 DIA.           | 1 Req.  |
| N | ~ 5/32 Dia.          | 1 Req.  |



MOUNT INSERTS AFTER FINISHING

USE MATERIAL THICKNESS FOR MAX. RADIUS ON ALL BENDS UNLESS OTHERWISE SPECIFIED

REF: LD-1004

F	DC	IF HOLE RELOCATED	1-26-66	15693			
E	FB	LOCATING DIM. FOR "M" HOLE 3/4, ADDED ON "E" DETAIL 5/32 R. CUTOUT ADDED	10-13-64	12643			
D	EZ	"O" DETAIL DIMS 3/4 x 3/4 WERE 23/32 x 23/32	1-30-63	8125			
C		"K" HOLE WAS 1/8 DIA. ON "K" DETAIL	11-1-62	7582			
B		"L" HOLE WAS 1/8 DIA. ON "L" DETAIL	2-7-62	6344			
A		"N" HOLE WAS 5/16 DIA. ON "N" DETAIL	11-7-61	5880			

UNLESS OTHERWISE SPECIFIED: SCALE: MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS & SHARP EDGES

TOLERANCES ON FRACTIONS ± 1/64 DECIMALS ± .005 ANGLES ± 1/2°

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of: THE TECHNICAL MATERIEL CORPORATION MAMARONECK, NEW YORK

REQ. ITEM	1	PART NO.	NT-129-632-4	DESCRIPTION	NUT, ROUND, SWAGE TYPE	SYMBOL	A
		STOCK SIZE	.064	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
		MATERIAL	ALUMINUM	CHASSIS, ELECTRICAL EQUIPMENT CONVERTER			
		TYPE & TEMPER	5052-H32	DRAWN: [Signature] CHECKED: [Signature] FINAL APPROVAL: [Signature]			
		FINISH & SPEC. NO.	S-404 YELLOW IRIDITE	ELEC. DES. APP. [Signature] MECH. DES. APP. [Signature] SHEET OF MS-2713 F			

MS-2713 F