



REVISIONS						
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD
-	B	REVISED & REDRAWN	10/20/63			
G2	C	HOLE LEGEND, 'E' WAS .120 C'SNK 82° TO .230 DIA.	5/25/64	11448	MSB	
F2		HOLE LEGEND, 'F' WAS .144 C'SNK 82° TO .284 DIA.				

LEGEND		
HOLE	DESCRIPTION	REQ.
A	.161 - .164 DIA.	12
B	.191 - .194 DIA.	8
C	7/32 X 3/8 SLOT	6
D	.189 DIA.	2
E	.163 DIA HOLE, C'SNK 82° TO .230 DIA	2
F	.207 DIA HOLE, C'SNK 82° TO .284 DIA	4
G	1/8 X 3/16 SLOT	2
H	9/16 DIA.	1
J	1/4 X 3/4 SLOT	2
K	1/4 DIA	1
L	.189 DIA.	2



~ UNLESS OTHERWISE SPECIFIED ~  
 1- USE MATERIAL THICKNESS FOR MAX. RADIUS ON ALL BENDS.  
 2- ALL BENDS 90°.  
 3- MOUNT INSERTS AFTER FINISHING.

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
2	4	TE-108-26	STANDOFF, RIVET TYPE	L
2	3	TE-108-6	STANDOFF, RIVET TYPE	D
8	2	NT-129-632-4	NUT, ROUND, SWAGE TYPE	B
12	1	NT-129-440-4	NUT, ROUND, SWAGE TYPE	A

M. GELLMAN		LIST OF MATERIAL	
MATERIAL		THE TECHNICAL MATERIEL CORP.	
.064, ALUMINUM		MAMARONECK, NEW YORK	
5052-H32		TITLE	
FINISH		S404 IRIDITE 14-2 AL-COAT	
UNLESS OTHERWISE SPECIFIED		DRAWN	
DIMENSIONS ARE IN INCHES AND INCLUDE		DATE	
CHEMICALLY APPLIED OR PLATED FINISHES		5-7-63	
DECIMALS		ELECT. DES.	
.XX ± .01		DATE	
.XXX ± .005		3/24/63	
FRACTIONS		MECH. DES.	
± 1/64		DATE	
ANGLES		9-24-63	
± 0° 30'		SHEET	
		MS-2960	
		C	
		REV. LTR.	

GPR-92		
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE	
1:1		

NOTES

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.