

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT

USED ON

MODEL

ASS'Y. NO.

DATE

1

HFR-1/T


7-26-62

MS-2992 D

LEGEND

HOLE	DESCRIPTION	REQ.
A	.374 $\begin{smallmatrix} +.001 \\ -.000 \end{smallmatrix}$	1
B	.194-.191 DIA.	2

METAL STAMP TMC
PART NO. 1/8 HIGH,
GOTHIC



UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES AND INCLUDE
CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS	TOLERANCES	FRACTIONS
.X ± .05		± 1/64
.XX ± .01		ANGLES ± 0° 30'
.XXX ± .005		

CUT HERE
GUARANTEED
2-66

1	2	BB-118-3	BEARING - FLANGE TYPE	A
2	1	NT-129-632-6	NUT, ROUND, SWAGE TYPE	B

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
D	3/16 x 3/16 MOUNTING LIP ADDED	7-16-63	9571			
C	DELETED BENDING NOTE, ADDED MILLING NOTE MATH, SIZE, TYPE WERE ALUM. # 5062-H58	4-16-63	8805			
B	ITEM (2) TOLERANCE ADDED (1) "A" HOLE WAS 5/16 DIA	1-2-63	7945			
A	ITEM 1 WAS NT-129-632-4, 1 REQ MODEL WAS HFR	8-30-62	7159	G.S.		

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
			KRUY	
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK BRACKET, BEVEL SUPPORT #2				
6063-T5		<i>G. Sencan</i> <i>J. De</i> <i>BP</i>		
S404 YEL. IRIDITE		DRAWN CHECKED FINAL APPROVAL <i>TAK</i>		
FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP. MS-2992 D		

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES ON
FRAC. ± 1/64 DEC. ± .005 ANGLES ± 1/2°

SCALE: #
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES