


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES



- A. No. 47 (.078) DRILL 4 HOLES REQ.
- B. 9/64 (.140) D. X 1/8 DEEP FROM REAR 2 " "
- C. 3/16 (.187) D. 4 " "
- D. 3/8 (.375) D. 2 " "
- E. 1/2 (.500) D. THEN C'BORE 3/4 (.750) D X 1/8 DEEP FROM FRONT OF PANEL 2 HOLES REQ.

MS-345 G

REV	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
G	1	(4) "C" HOLES WERE C'SINK FOR B-32 F.H.S.	7-29-54	11937	JCB	EMN	
F	2	ADDED LD-1327 REF DELETED LETTERING INFO	6-22-54	9271	RC	JCB	
E	1	8404-TRIDITE WAS 8101-CAUSTIC DIP	11-9-53	1001	JCB	EMN	
D	1	CHART ADDED	4/4/53	4	JCB	EMN	
C	1	REBORN 10" HOLES MOVED	8/25/54	3	JCB	EMN	

TOLERANCES: DEC. DIM. ± 1/100; FRAC. DIM. ± 1/100; ANGULAR DIM. ± 1°

SCALE: DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

1	BFP-2	308	A-792	8-30-54
1	SFP-2	121		4-10-53
REQ. PER UNIT	MODEL	PROJECT NO.	ABBY. NO.	DATE
	USED ON			

REF: LD-1327

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	3/16 THK.	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	ALUMINUM	FRONT PANEL	
	24S-T3	FILTER	
		CDR 8/31/54	WDC
		DRAWN	ELEC. DES. APP. MECH. DES. APP.
		CHECKED	FINAL APPROVAL
		SEE NOTE	
		FINISH & SPEC. NO.	MS-345 G