




HOLE LEGEND		
HOLE	DESCRIPTION	REQ
A	.191-.194 DIA. DRILL	3
B	1/8 DIA. DRILL	3
C	1/4 DIA. DRILL	1



METAL STAMP TMC PART No.  
1/8 HIGH GOTHIC



1 MOUNT ITEM 1 AS SHOWN  
IN ALL "A" HOLES



1/8 X 45° CHAMFER (TYP)



DETAIL "D" - 1 REQ

USE MATERIAL THICKNESS FOR MAX. RADIUS  
ON ALL BENDS UNLESS OTHERWISE SPECIFIED

REMOVE ALL BURRS AND SHARP EDGES

ALL ANGULAR BENDS 90°

MOUNT INSERTS AFTER FINISHING

REF-LD -1319 (2)

3	1	NT-129-632-4	NUT, ROUND, SWAGE TYPE
REQ. ITEM	PART NO.	DESCRIPTION	
	.064	O. POSE	
STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
ALUMINUM		DIVIDER, CHASSIS	
MATERIAL		DRAWN: [Signature] CHECKED: [Signature] DATE: 6.11.63	
5052 H32		FINAL APPROVAL: [Signature]	
TYPE & TEMPER		HEAT TREAT. SPEC.	
S404-YELLOW IRIDITE		MS-3363 A	
FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP. SHEET OF	

SYM	ZONE	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	DB	7 9/16 DIM. WAS 7 3/4	12-12-63	10557	[Signature]	[Signature]	[Signature]

UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN INCHES  
TOLERANCES ON FRACTIONS ± 1/64 DECIMALS ± .005 ANGLES ± 1/2°

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS & SHARP EDGES

REQ. PER UNIT	MODEL	SECTION	ASS'Y. NO.	DATE
1	LFA-4			6-3-63

USED ON