


REVISIONS							
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
E-4,5	X ₁	ADDED 2 "B" HOLES	3.16.64		ASB		
-	Ø	ORIGINAL RELEASE FOR PRODUCTION	8-18-64	-	SRC		



METAL STAMP TMC PART NO. 1/8 HIGH GOTHIC W/LATEST REV. LETTER.

HOLE LEGEND		
HOLE	DESCRIPTION	REQ'D
A	.250 - .253 DIA.	3
B	.196 DIA. & C'SINK 82° X .390 DIA.	4
C	.169 DIA. & C'SINK 82° X .337 DIA.	2
D	5/32 DIA	2

- UNLESS OTHERWISE SPECIFIED:
- USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 - ALL ANGULAR BENDS 90°.
 - REMOVE ALL BURRS AND SHARP EDGES.
 - MOUNT INSERTS AFTER FINISHING.

- FINISH NOTES:
- S404 - IRIDITE 14-2 AL-COAT.

NOTES

1	MFP-1	
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE	
1:1	A	
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.		

3	1	NT 129-1032-6	NUT, ROUND, SWAGE TYPE	
REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
T. AALTONEN LIST OF MATERIAL				
MATERIAL		THE TECHNICAL MATERIEL CORP.		
1/8 THK ALUMINUM		MAMARONECK, NEW YORK		
5052-H32		TITLE		
FINISH		PLATE, SIDE-RIGHT		
SEE NOTE		DRAWN		
		J. LESHINSKI		
		DATE		
		1/31/64		
		CHECKED		
		DATE		
		8-17-64		
		ELECT. DES.		
		DATE		
		8/17/64		
		MECH. DES.		
		DATE		
		8-17-64		
DECIMALS		FRACTIONS		
X ± .05		± 1/64		
.XX ± .01		ANGLES		
.XXX ± .005		± 0° 30'		
TOLERANCES		SHEET		
		MS-3697		
		REV. LTR.		
		Ø		

MS-3697