


REVISIONS							
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
#	X	EXPERIMENTAL RELEASE	3-20-64	*	<i>Apms</i>		
#	X1	DIMENSIONS 16 3/32 & 25/64 WERE 16 1/4 & 5/16	4-21-64	#	<i>G. D. L.</i>		
#	X2	COMPLETELY REVISE & REDRAWN	5-7-64	#	<i>S. J. L.</i>		
#	Ø	ORIGINAL RELEASE FOR PRODUCTION	8-15-64		<i>D. H. J.</i>		

HOLE	DESCRIPTION	REQ
A	1/4 DIA.	6



METAL STAMP TMC PART NO. 1/8 HIGH GOTHIC.
WITH LATEST REVISION LETTER

PERFORATED AREA
.125 DIA. HOLES ON 3/16 CENTERS (STAGGERED)

MOUNT ITEMS ① & ② IN ALL "A" HOLES
AS SHOWN AFTER FINISH

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
2. ALL ANGULAR BENDS 90°.
3. REMOVE ALL BURRS AND SHARP EDGES.

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
6	2	FS-109-3	RING, STUD, RETAINING	A
6	1	FS-110-1	STUD, SLOTTED	A

T. KRUY LIST OF MATERIAL

MATERIAL .051 THK ALUMINUM PERFORATED	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK
FINISH S404 YELLOW IRIDITE	TITLE COVER, BOTTOM

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	DRAWN <i>G.D.L.</i>	DATE 5-6-64	FINAL APPROVAL <i>R.L.</i>	DATE
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES FRACTIONS ± 1/64 ANGLES ± 0° 30'	CHECKED <i>@</i>	DATE 8-15-64	
	ELECT. DES. <i>J. Anger</i>	DATE 5/8/64	MS 3729	Ø
	MECH. DES.	DATE	SHEET	REV. LTR.

1	HFR-2	
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE 1/2	CODE A	
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.		

NOTES

MS 3729
Ø