


REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
X	EXPERIMENTAL RELEASE	9-16-64	X	SRG	
XI	④ A HOLES 5/32 DIA. & ② C 1/2 DIA. DELETED	3-10-65	M	JZ	
Ø	ORIGINAL RELEASE FOR PRODUCTION	3-10-65	M	JZ	


METAL STAMP TMC PART NO. 1/8 HIGH GOTHIC W/LATEST REV. LETTER.

HOLE	DESCRIPTION	REQ.
	M	
B	.191-.194 DIA.	4
	M	

D-DETAIL (1REQ.)



E-DETAIL (1REQ.)



LOCATING BASE LINES

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
2. ALL ANGULAR BENDS 90 DEGREES
3. REMOVE ALL BURNS AND SHARP EDGES
4. MOUNT INSERTS AFTER FINISHING

NOTES

1	RAK-102	
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE 1:1	CODE A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REF: LD1607

4	1	NT129-632-4	NUT, ROUND, SWAGE TYPE	B
REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL

F. EATON		LIST OF MATERIAL		
MATERIAL		THE TECHNICAL MATERIEL CORP.		
064 THICK ALUMINUM 5052-H32		MAMARONECK, NEW YORK		
FINISH		TITLE		
S404 YELLOW IRIDITE		ROUTING BOX, RECEIVER SELECTION		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN SRG		DATE 9-16-64		FINAL APPROVAL		DATE	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .05		TOLERANCES		CHECKED JCB		DATE 3/10/65		DATE	
FRACTIONS ± 1/64 ± 0° 30'		ELECT. DES. JCB		DATE 3/10/65		MS4033		Ø	
		MECH. DES. JCB		DATE 3/10/65		SHEET		REV. LTR.	