


REVISIONS						
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
X	EXPER. RELEASE					
X1	TWO "B" HOLES DELETED	11-11-64		G.D.L		
X2	DIMENSIONS CLARIFIED	12-29-64		G.D.L		
Ø	ORIGINAL RELEASE FOR PRODUCTION	4-9-65	Ø	Ø		

HOLE	DESCRIPTION	REQ
A	9/64 DIA	8
B	5/32 DIA	10

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
  2. ALL ANGULAR BENDS 90 DEGREES
  3. REMOVE ALL BURRS AND SHARP EDGES
  4. MOUNT INSERTS AFTER FINISHING



METAL STAMP TMC P/No 1/8 HIGH GOTHIC W/LATEST REV. LETTER

\* CUTOUTS CENTERED BETWEEN HOLES

REF: LD 1668

VLRB-1		ASS'Y. NO.
Q'TY./UNIT	MODEL USED ON	
SCALE 1:1	CODE A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
O. POSE LIST OF MATERIAL				
MATERIAL .093 ALUMINUM 5052-H32			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH S404 YEL IRIDITE			TITLE CHASSIS, XFMR, OSC.	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES				
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES		FRACTIONS ± 1/64 ANGLES ± 0° 30'	
DRAWN G.D.L	DATE 12-9-64	FINAL APPROV	DATE	
CHECKED @	DATE			
ELECT. DES.	DATE			
MECH. DES.	DATE 4-8-65			
MS4064				Ø
SHEET				REV. LTR.

NOTES