



MS4087

REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD
X	EXPER. RELEASE	10-1-64	X	JL	JM
Ø	ORIGINAL RELEASE FOR PRODUCTION	2-10-65	Ø	JL	JCB

NOTE - HARDWARE TO BE SUPPLIED & ASSEMBLED BY TMC.

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
2. ALL ANGULAR BENDS 90 DEGREES
3. REMOVE ALL BURRS AND SHARP EDGES

2 MOUNT IN ALL HOLES AS SHOWN  
 1 OPPOSITE SIDE IDENTICAL

1/4 DIA HOLE (6-REQ'D)

METAL STAMP TMC PART NO. 1/8 HIGH GOTHIC, W/ LATEST REVISION LETTER

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
G	2	FS 109-1	RING, RETAINING	
G	1	FS 110-1	STUD, TURNLOCK	

EATON		LIST OF MATERIAL		SK-3071-MS-18	
MATERIAL			THE TECHNICAL MATERIEL CORP.		
.051 THK ALUMINUM 5052-H32			MAMARONECK, NEW YORK		
FINISH			TITLE		
YELLOW IRIDITE 5422			COVER - BOTTOM		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN	DATE	FINAL APPROVAL	DATE
		JL	2/9/65		
DECIMALS		CHECKED	DATE	MS4087	
.X ± .05		JM	2/9/65	Ø	
.XX ± .01		F. E. Eaton	DATE		
.XXX ± .005		MECH. DES.	DATE		
TOLERANCES		W. JORDAN	2/8/65	SHEET	
± 1/64				REV. LTR.	
ANGLES					
± 0° 30'					

Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
1	RTIA-1	A4066
SCALE	CODE	
	A	

NOTES

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.