




MS4137

REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
X	EXP. RELEASE	12-14-64	X	SRG	
Ø	ORIGINAL RELEASE FOR PRODUCTION	2-26-65		SR	HS
A	CLERICAL CHANGE, HVRB-2, HVRC-2 ADDED	9/1/65		HV	SRG/HS



METAL STAMP TMC PART NO. 1/8 HIGH GOTHIC W/LATEST REV. LETTER.

HOLE	DESCRIPTION	REQ.
A	15/64 DIA.	4
B	.251-.254 DIA.	8



OPPOSITE SIDE IDENTICAL

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
 2. ALL ANGULAR BENDS 90 DEGREES
 3. REMOVE ALL BURRS AND SHARP EDGES
 4. MOUNT INSERTS AFTER FINISHING

NOTES

Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
1	HVRB-2	
1	HVRC-2	
	HVRC-1 P/O TST () 10K	
SCALE	CODE	
1/2:1	A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
8	1	NT129-1032-6	NUT, PLAIN, SPLINE	B

F. BUDETTI		LIST OF MATERIAL	
MATERIAL 1/8 THICK ALUMINUM 5052-H32		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH S404-IRIDITE, 14-2 AL-COAT		TITLE PLATE, SIDE, RIGHT	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN SRG	DATE 12-14-64
		CHECKED SRG	DATE
		ELABORATED SRG	DATE
		MECH. DES. SRG	DATE
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'	
TOLERANCES		SHEET	
		MS4137	
		REV. LTR. A	