





REVISIONS						
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
Ø	ORIGINAL RELEASE FOR PRODUCTION	9/25/69		W		



A - 1/164 DIA 4 REQ  
 B - 1/164 x 1/32 SLOT 4 REQ

- UNLESS OTHERWISE SPECIFIED
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
  2. ALL ANGULAR BENDS 90°.
  3. REMOVE ALL BURRS & SHARP EDGES.
  4. MOUNT INSERTS AFTER FINISHING.



ALL DIMENSIONS ARE TYPICAL ON OPPOSITE SIDE

Q'TY./UNIT	RAK20B	MODEL USED ON	A4078	ASS'Y. NO.
SCALE		CODE		
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.				

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL	
<b>B.NAP</b>					
MATERIAL .062 THK ALUMINUM			<b>THE TECHNICAL MATERIEL CORP.</b> MAMARONECK, NEW YORK		
5052-H32					
FINISH YELLOW IRIDITE PER			TITLE		
TMC SPEC S-404			CHASSIS, ELECTRICAL		
UNLESS OTHERWISE SPECIFIED		DRAWN BN	DATE	FINAL APPROVAL	DATE
DIMENSIONS ARE IN INCHES AND INCLUDE		CHECKED	DATE	MS 4180	Ø
CHEMICALLY APPLIED OR PLATED FINISHES			215/69		
DECIMALS		ELECT. DES.	DATE	SHEET	REV. LTR.
TOLERANCES		MECH. DES.	DATE		
.X ± .05					
.XX ± .01					
.XXX ± .005					
FRACTIONS					
± 1/64					
ANGLES					
± 0° 30'					

NOTES