


MARK TMC
PART NO. 1/8 HIGH
GOTHIC W/LATEST
REV. LETTER.



MS4310

REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
X	EXP. RELEASE	1-25-65	X	SRG	
Ø	ORIGINAL RELEASE FOR PRODUCTION	6.23.66	-#	LHW	HLO

HOLES
A- .161-.164 DIA. (4REQ.)

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
2. ALL ANGULAR BENDS 90 DEGREES
3. REMOVE ALL BURRS AND SHARP EDGES
4. MOUNT INSERTS AFTER FINISHING

4	1	NT129-440-3	NUT, PLAIN, SPLINE	
REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
F. BUDETTI LIST OF MATERIAL				
MATERIAL .054 THICK ALUMINUM 5052-H32			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH 5404 YEL. IRIDITE			TITLE SHIELD, RF	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			DRAWN SRG	DATE 1-25-65
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005			CHECKED JCB	DATE 6-20-66
FRACTIONS ± 1/64 ANGLES ± 0° 30'			ELECT. DES. aa	DATE 6/22/66
TOLERANCES			MECH. DES.	DATE
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.			FINAL APPROVAL [Signature] [Signature] DATE 6/23/66	
NOTES			MS4310	
SCALE 1:1			SHEET	
MODEL USED ON RFTA-1			REV. LTR.	
CODE A			ASS'Y. NO.	
QTY./UNIT 1			DATE 6-22-66	