



MS4311

REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
X	EXP. RELEASE	1-18-65	X	SRG	
X1	16 7/8 WAS 16 9/16, 14 1/4 WAS 14 5/16	1-28-65	X1	SRG	
X2	CHOLES WERE 3/16 DIA.	5-17-65	X2	SRG	FTB
Ø	ORIGINAL RELEASE FOR PRODUCTION	4-12-66	Ø	G.D.L.	HL



HOLES	DESCRIPTION	REQ.
A	3/16 DIA.	6
B	.191-.194 DIA.	3
C	DR. 144 DIA. C'SINK 82° X .284 D.	10

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
2. ALL ANGULAR BENDS 90 DEGREES
3. REMOVE ALL BURRS AND SHARP EDGES
4. MOUNT INSERTS AFTER FINISHING

NOTES

1	RFTA-1	A5348
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE	
1/2:1	A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

3	1	NT 129-632-3	NUT, PLAIN, SPLINE	B
REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL

F. BUDETTI		LIST OF MATERIAL	
MATERIAL .054 THICK ALUMINUM 5052-H32		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH S404 YEL. IRIDITE		TITLE COVER, CHASSIS, BOTTOM	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN	DATE	FINAL APPROVAL	DATE	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .05		SRG	1-18-65	<i>[Signature]</i>	4/7/66	
FRACTIONS ± 1/64 ANGLES ± 0° 30'		CHECKED	DATE			
TOLERANCES		<i>[Signature]</i>	4/5/66	MS4311	Ø	
		ELECT. DES.	DATE			
		MECH. DES.	DATE			
		<i>[Signature]</i>				

ML *[Signature]* 4/12/66