


MS4402

REVISIONS						
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
X	EXP. RELEASE	2-25-65	X	SRG		
Ø	ORIGINAL RELEASE FOR PRODUCTION	5-17-66	Ø	C.V		<i>File</i>

METAL STAMP TMC PART NO. 1/8 HIGH GOTHIC W/LATEST REV. LETTER



HOLES	DESCRIPTION	REQ.
A	11/64 (.171) DIA.	2
B	13/64 (.203) DIA.	4
C	1/2 (.500) DIA.	1
D	13/64 X 13/32 SLOT	4

REF: LD1803

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
F. BUDETTI LIST OF MATERIAL				
MATERIAL 1/8 THICK ALUMINUM 5052-H32			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH S404 YEL. IRIDITE			TITLE PLATE, RF CONNECTOR	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			DRAWN <i>SRG</i> DATE 2-25-65 CHECKED <i>SRG</i> DATE ELECT. DES. <i>SRG</i> DATE 5-13-66 MECH. DES. DATE	FINAL APPROVAL <i>[Signature]</i> DATE 5/17/66 MS4402 Ø SHEET REV. LTR.
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		
TOLERANCES				

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
  2. ALL ANGULAR BENDS 90 DEGREES
  3. REMOVE ALL BURRS AND SHARP EDGES

NOTES

1	TST( )10K	
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE 1/2:1	CODE A	
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.		