



REVISIONS						
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD
X		EXPEDIMENTAL RELEASE	3-11-65			
X1		DELETED F+C HOLES, CHANGED TO E+B	3-27-65			
X2		Added 4 E holes, 3/16 SLOT, F holes REQ was 8	4-3-65			
X3		Deleted 4 E holes, 3/16 Slot, F holes REQ was 12	4-14-65			
		6 Holes REQ was 5, Added 8 1/2" cutout, Added H-I holes.				
		ORIGINAL RELEASE FOR PRODUCTION	5/17/66		C-N	



LOCATING
BASE LINE



DETAIL	DIAMETER	REQ.
A	1.125	2
B	1.0625	2
C	DELETED	4
D	0.172	10
E	0.141	8
F	DELETED	4
G	0.109	6
H	0.513	1
I	0.100	1

UNLESS OTHERWISE SPECIFIED:
 1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
 2. ALL ANGULAR BENDS 90 DEGREES
 3. REMOVE ALL BURRS AND SHARP EDGES

NOTES

QTY./UNIT	1	AX 566	A+208
SCALE		CODE	ASSY. NO.

REF: LD1818

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
MATERIAL .064 ALUMINUM 5052-H32			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH S404 YEL IRIDITE			TITLE CHASSIS, RELAY PANEL	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	DRAWN	DATE	FINAL APPROVAL	DATE
DECIMALS .XX ± .05 .XX ± .01 .XXX ± .005	CHECKED	DATE		
FRACTIONS ± 1/64 ± 1/32 ANGLES ± 0° 30'	ELECT. DES.	DATE		
	MECH. DES.	DATE		
		SHEET		REV. LTR.

MS4434