


MS4441

REVISIONS

SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
X	EXPER. RELEASE	2-25-65	X	<i>[Signature]</i>		
Ø	ORIG. RELEASE FOR PRODUCTION	5-16-67	Ø	R.S.		



HOLE	DESCRIPTION	REQ
A	1/4 DIA.	4
B	1/2 DIA.	4

① MOUNT IN ALL "A" HOLES AS SHOWN
②

METAL STAMP TMC PART NO, WITH LATEST REVISION LETTER, ON REAR.

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
2. ALL ANGULAR BENDS 90 DEGREES
3. REMOVE ALL BURRS AND SHARP EDGES
4. MOUNT INSERTS AFTER FINISHING

NOTES

1	RC SA-1	
1	RS BA-1	
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE	
<i>[Handwritten]</i>	<i>[Handwritten]</i>	
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.		

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
4	2	FS109-3	RING, RETAINING	A
4	1	FS110-1	STUD, SLOTTED	A

F. EATON LIST OF MATERIAL FORMALLY E3162B-9

MATERIAL .062 ALUMINUM 5052-H32
FINISH 5404 YELLOW IRIDITE

THE TECHNICAL MATERIEL CORP.
MAMARONECK, NEW YORK

TITLE COVER, TOP

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DRAWN <i>[Signature]</i>	DATE 2-25-65	FINAL APPROV. <i>[Signature]</i>	DATE <i>[Signature]</i>
CHECKED	DATE		
ELECT. DES.	DATE	MS4441	Ø
MECH. DES.	DATE		
		SHEET	REV. LTR.

DECIMALS	TOLERANCES	FRACTIONS
.X ± .05		± 1/64
.XX ± .01		ANGLES ± 0° 30'
.XXX ± .005		