



MS4510

REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
X1	FINISH WAS S404 YEL. IRIDITE	4-22-65	X1	SRG	
Ø	ORIG. RELEASE FOR PRODUCTION	5-1-67	Ø	RG	

METAL STAMP TMC P/NO. MS 4510 - 1/8 HIGH GOTHIC W/LATEST REV. LETTER. (ON INSIDE OF LIP)



HOLE	DESCRIPTION	REQ
A	3/32 DIA	20
B	.191 - .194 DIA	6
C	3/8 DIA	2

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
  2. ALL ANGULAR BENDS 90 DEGREES
  3. REMOVE ALL BURRS AND SHARP EDGES
  4. MOUNT INSERTS AFTER FINISHING

REF: LD1854

6	1	NT129-632-4	NUT, PLAIN, SPLINE	B
REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL

F. BUDETTI		LIST OF MATERIAL		
MATERIAL		THE TECHNICAL MATERIEL CORP.		
.064 THK ALUMINUM		MAMARONECK, NEW YORK		
FINISH		TITLE		
SEE NOTES		CHASSIS, MTG., RESISTOR		

- FINISH NOTES:
1. S404 - IRIDITE 14-2 AL-COAT.
  2. S114 - ZINC CHROMATE PRIMER ) FRONT AND
  3. S115 - SMOOTH GRAY ENAMEL ) EDGES ONLY

1	TSTE 10K	
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE 1:1	CODE A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES ± 0° 30'
.XXX ± .005	

DRAWN	DATE	FINAL APPROVAL	DATE
hbs	4.5.65	[Signature]	5/5/67
CHECKED	DATE		
ELECT. DES.	DATE	MS4510	Ø
MECH. DES.	DATE		
		SHEET	REV. LTR.