



MS4580

| REVISIONS | | | | | | |
|-----------|---------------------------------|---------|------------|-------|------|------|
| SYM | DESCRIPTION | DATE | E.M.N. NO. | DRAFT | CHKD | APPD |
| Ø | ORIGINAL RELEASE FOR PRODUCTION | 5/18/65 | -A | BL | J.M. | |

MOUNT IN ALL "A" HOLES AS SHOWN

| HOLE | DESCRIPTION | REQ. |
|------|-------------|------|
| A | 1/4 DIA | 4 |

METAL STAMP TMC P/N WITH LATEST REV. LETTER ON REAR

NOTE - ITEMS 1 & 2 TO BE SUPPLIED AND ASSEMBLED BY TMC.

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
 2. ALL ANGULAR BENDS 90 DEGREES
 3. REMOVE ALL BURRS AND SHARP EDGES
 4. MOUNT INSERTS AFTER FINISHING

NOTES

| | | |
|--------------|---------------|------------|
| 1 | RGCB-1 | |
| QTY./UNIT | MODEL USED ON | ASS'Y. NO. |
| SCALE | CODE | |
| DO NOT SCALE | A | |

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

| REQ'D. | ITEM | PART NUMBER | DESCRIPTION | SYMBOL |
|--------|------|-------------|-----------------|--------|
| 4 | 2 | FS110-1 | STUD, TURN LOCK | A |
| 4 | 1 | FS109-3 | RING, RETAINING | A |

| | | | |
|---|--|--|-----------------|
| F. EATON | | LIST OF MATERIAL | |
| MATERIAL .062 ALUMINUM 5052-H32 | | THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK | |
| FINISH S404 YEL IRIDITE | | TITLE COVER, TOP | |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES | | DRAWN <i>[Signature]</i> | DATE 5-7-65 |
| DECIMALS .X ± .05 .XX ± .01 .XXX ± .005 | | CHECKED <i>[Signature]</i> | DATE 5/18/65 |
| FRACTIONS ± 1/64 ANGLES ± 0° 30' | | ELECT. DES. <i>[Signature]</i> | DATE 5/14/65 |
| TOLERANCES | | MECH. DES. W. JORDAN | DATE 5/14/65 |
| | | FINAL APPROVAL <i>[Signature]</i> | |
| | | DATE 5/18/65 | |
| | | MS4580 | |
| | | SHEET | |
| | | REV. LTR. | |