


MARK TMC PART NO. $\frac{1}{8}$ " HIGH GOTHIC WITH LATEST REVISION NO.

TMC NO.	A	B	C	D	E	F	G	H	J	K
MS4941-1	2 1/2	2 5/32	1 3/4	1 1/4	1/4	2	1/2	5/32	1 1/64***	3/4
-2	2 1/4	1 55/64	1 43/64	.195	3/16	1 7/8	1/2	3 1DR	1 1/64***	3/4
-3	1 3/8	63/64	5 1/64	.195	.195	63/64	1/2	3 1DR	1 1/64***	3/4
-4	1 1/16	1 5/16	1 1/16	3/16	5/16	1 1/16	1/2	5/32	5/32***	3/4
-5	2 1/4	1 55/64	1 43/64	.195	1/4	1 3/4	1/2	5/32	3/64***	1 3/16
-6	3 3/8	2 26/64	2 11/16	.210	5/16	2 3/4	1/2	5/32	.194*	59/64



SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD
X	EXP. RELEASE	7-30-66	X	MS2	
X1	J COLUMN ADDED	8-1-66	X1	MS3	
X2	MS4941-1 J WAS .191-.194 DIA, NT129-632-4 DELETED	9-27-66	X2	MS4	
Ø	ORIGINAL RELEASE FOR PRODUCTION	2-28-66		MS5	
A	MS4941-4 ADDED	9/4/69	19580	MS6	
B	MS4941-5 & -6 ADD.	12/24/69	19692	MS7	

*-USE ITEM 1
 ** - ITEM 1 NOT REQUIRED

UNLESS OTHERWISE SPECIFIED:

1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
2. ALL ANGULAR BENDS 90 DEGREES
3. REMOVE ALL BURRS AND SHARP EDGES
4. MOUNT INSERTS AFTER FINISHING

NOTES

QTY./UNIT	TLAA-2.5K	ASSY. NO.	AS495
SCALE	A	MODEL USED ON	

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
2	1	NT129-632-4	NUT, PLAIN, SPLINE	J

BUDETTI

MATERIAL .064 THK ALUM. ALLOY 5052
 H32

FINISH S404-1QDITE 14-2 AL COAT

LIST OF MATERIAL

THE TECHNICAL MATERIEL CORP.
 MAMARONECK, NEW YORK

BRACKET, CONNECTOR MTG

DRAWN	F. L.	DATE	5-27-66	FINAL APPROVAL	DATE
CHECKED	[Signature]	DATE	11-19-66	[Signature]	12/24/69
ELECT. DES.	[Signature]	DATE			
MECH. DES.	[Signature]	DATE	11-21-66		

REPROVAL NO. 440H