



REVISIONS							
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
	X	EXP. RELEASE	10/18/67			ENG	10/18/67
	X1	COMPLETELY REVISED	10/30/67			ENG	10/30/67
	Ø	ORIG. RELEASE FOR PROD	11.20.68	Ø	R.G.		
	Δ	REV. PICT.DIM. DEL. IT. 1	3-7-69	10335	GE		
	B	DIM CHG 3/32 R TO 1/16 R	8/11/69	19531	GE		

MARK TMC P/N 1/8 HIGH GOTHIC
W/LATEST REVISION LETTER



HOLES	DESCRIPTION	REQ.
Δ	1/32 DIA.	2

MS 5192 - 1 AS SHOWN
MS 5192 - 2 OPP. HAND



REQ'D ITEM	PART NUMBER	DESCRIPTION	SYM.
F EATON			

LIST OF MATERIAL			
THE TECHNICAL MATERIEL CORP.			
MAMARONECK, NEW YORK			
QTY / UNIT	MODEL USED ON	ASS'Y NO.	
1 EA	RTTD-4,5,5A		
APPLICATION			
CODE	S 401 - 451		
MATERIAL, .051 ALUM.			
5052 - H 32			
FINISH S 404 YEL.			
IRIDITE			

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			
DECIMALS	FRACTIONS	TOLS.	ANGLES
.X ± .05	1/64		0° - 30°
.XX ± .01			
.XXX ± .005			

NOTICE TO PERSONS RECEIVING THIS DRAWING
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
 2. ALL ANGULAR BENDS 90 DEGREES
 3. REMOVE ALL BURRS AND SHARP EDGES
 4. MOUNT INSERTS AFTER FINISHING