


REVISIONS							
ZONE	LTR	DESCRIPTION	DATE	E.M.N. NO	DRAFT	CHKD	APPD
	X	EXPERIMENTAL RELEASE	11/28/67	-	<i>Enf</i>	<i>MS</i>	<i>MS</i>
	XI	1/4 HOLES WERE 1/2, 3/8 AND 3/8 WAS 1/4	12-13-67	-	<i>MS</i>	<i>MS</i>	<i>MS</i>
	Ø	ORIGINAL RELEASE FOR PRODUCTION	4/9/68	Ø	<i>MS</i>	<i>MS</i>	<i>MS</i>

① ② TO BE SUPPLIED & MOUNTED BY TMC. IN ALL "A" HOLES

HOLE	DESCRIPTION	REQ.
A	1/4 DIA.	7
B	1/4 DIA.	30



MARK TMC P/N (MS 5237)  
1/8 HIGH GOTHIC W/LATEST  
REV. LETTER ON REAR.

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
  2. ALL ANGULAR BENDS 90 DEGREES
  3. REMOVE ALL BURRS AND SHARP EDGES

QTY / UNIT	1	BCT-10KA	AX 683
MODEL USED ON		ASSY NO.	
APPLICATION			
CODE	A	S401-451	

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	
DECIMALS	FRACTIONS
.X ± .05	1/64
.XX ± .01	TOLS. ANGLES
.XXX ± .005	0°-30'
MATERIAL .064 THK. ALUMINUM 5052-H32	
FINISH S 404 YELLOW IRIDITE	

FINAL APPROVAL	<i>[Signature]</i>	DATE	4/15/68
MECH. DES.	<i>[Signature]</i>	DATE	4/15/68
ELECT. DES.	<i>[Signature]</i>	DATE	4/15/68
CHECKED	<i>[Signature]</i>	DATE	4-1-68
DRAWN	<i>[Signature]</i>	DATE	11/28/67

REQ'D ITEM	PART NUMBER	DESCRIPTION	SYM.
7	FS 110-1	STUD, TURN LOCK	A
7	FS 109-3	RING, RETAINING	A

LIST OF MATERIAL SK 3290-MS 5030

THE TECHNICAL MATERIEL CORP.  
MAMARONECK, NEW YORK

COVER, BOTTOM  
DRIVER, DRAWER

SIZE B CODE IDENT. NO. 82679 DWG NO. MS 5237 ISSUE Ø