


REQ. PER UNIT	USED ON			MS6006 A
	MODEL	ASS'Y. NO.	DATE	
1	VOX-7	AX 651		
1	MMX-( )	AX 652		



MARK TMC PT. NO.  
(MS6006-) 1/8 HIGH  
GOTHIC W/LATEST  
REV. LETTER.

1 MOUNT IN HOLES  
AFTER FINISHING.

.161-.164 DIA. HOLE  
(2 REQ)

2	1	NT129-440-3	NUT, PLAIN, SPLINE	
REQ. ITEM		PART NO.	O. POSE	DESCRIPTION SK3213MS37 SYMBOL
.051 THK			THE TECHNICAL MATERIEL CORP.	
STOCK SIZE			MAMARONECK, NEW YORK	
ALUMINUM			PLATE, CONNECTOR MTG.	
MATERIAL				
5052-H32		G. D. L.	<i>[Signature]</i>	<i>[Signature]</i>
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
5404 YEL. IRIDITE			<i>[Signature]</i>	MS6006 A
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	

A	MOD HFSR-4 DELETED MOD MMX-( ) WAS MMX-1	10/29/67	CC	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>
Ø	ORIG RELEASE FOR PROD	6/26/67	R	RG		
XI	DIM .040 WAS .050 DIM .670 WAS .650	12-1-66	H	Jc	<i>[Signature]</i>	<i>[Signature]</i>
X	EXP. RELEASE	11/3/66		JL		
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER
TOLERANCES		SCALE: S401-451				
DEC. DIM. ±		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.				
FRAC. DIM. ±		REMOVE ALL BURRS AND SHARP EDGES				
ANGULAR DIM. ±						