


					REVISIONS		
E.M.N.NO	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	DATE	APPROVED
91189	A	A		A	ORIG. RELEASE FOR PRODUCTION	10/8/71	
					SLOTTED AREA WAS PERFORATED 1/8 DIA ON 3/16 C.	12/23/79	

MARK TMC PART NUMBER
1/8 HIGH GOTHIC WITH LATEST
REVISION LETTER ON REAR OF PANEL



HOLE DESCRIPTION REQ.

A	1/4 DIA.	4
B	1/8 DIA.	2

MOUNT IT.5 IN 'B' HOLES
AFFIX IT.3 TO INTERIOR
OF COVER AS SHOWN

NOTE
ITEMS 1,2,3,5, & 6 TO BE
SUPPLIED & ASSEMBLED
BY TMC

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
1	6	MS3284-69	PLATE DUAL HOLE	
1	5	FP 199-2	CONTACT, ELEC	
2	4	EY 100-2	EYELET, MTL	B
1	3	TAM-3-10-10.000C	TAPE URETHANE	
4	2	FS 110-1	STUD. SLOT HEAD	A
4	1	FS 109-3	RING, STUD RETAINING	A

LIST OF MATERIAL					
FINAL APPROVAL	DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK COVER, TOP			
MECH. DES.	DATE				
ELECT. DES.	DATE				
CHECKED	DATE				
DRAWN	DATE	SIZE	CODE IDENT NO.	DWG NO.	ISSUE
GE	10/1/71	C	82679	MS 6247	A
MATERIAL .051 ALUM		SCALE 1/2		SHEET OF	
FINISH 5404 YEL. IRIDITE					

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
AND INCLUDE CHEMICALLY APPLIED
OR PLATED FINISHES

TOLERANCES ON

DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES
.XXX ± .005	± 0° -30'

QTY / UNIT	MODEL USED ON	ASS'Y NO.
1	KIT 368	
APPLICATION		
CODE		
NOTICE TO PERSONS RECEIVING THIS DRAWING		
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

- UNLESS OTHERWISE SPECIFIED:
- USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 - ALL ANGULAR BENDS 90 DEGREES.
 - REMOVE ALL BURRS AND SHARP EDGES.
 - MOUNT INSERTS AFTER FINISHING.